

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-21 Professional

NEW!



Technical data		
Part number	0 611 911 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 20 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2 J	
Rated speed	0 – 1,800 rpm	
Impact rate at rated speed	0 – 5,100 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.4 kg	
Comes complete with	... 100	... 101
Body only	x	x
Cardboard box	x	–
L-BOXX 136 (1 600 A01 2G0)	–	x
Depth stop (1 613 001 009)	x	x
Machine cloth (1 619 200 413)	x	x

### CORDLESS ROTARY HAMMER GBH 18V-21 Professional

NEW!



Technical data		
Part number	0 611 911 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 20 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2 J	
Rated speed	0 – 1,800 rpm	
Impact rate at rated speed	0 – 5,100 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.4 kg	
Comes complete with	... 172	
2 x battery GBA 18V 4.0Ah (1 600 Z00 038)	x	
Quick charger GAL 18V-40 Professional (1 600 A01 9RK)	x	
Carrying case	x	
Depth stop (1 613 001 009)	x	
Machine cloth (1 619 200 413)	x	

5

### ROTARY HAMMER GBH 18V-22 Professional

NEW!



Technical data			
Part number	0 611 924 ...		
Battery voltage	18 V		
Max. drilling dia. in concrete	22 mm		
Max. impact energy	1.9 J		
No-load speed	0 – 1,050 rpm		
Impact rate	0 – 4,675 bpm		
Tool holder	SDS plus		
Weight excl. battery	2.3 kg		
Comes complete with	... 000	... 001	... 072
Body only	x	x	x
Carton	x	–	–
L-BOXX 136 (1 600 A01 2G0)	–	x	
GDE 18V-12	–	–	x

### CORDLESS ROTARY HAMMER GBH 18V-22 Professional

NEW!



Technical data		
Part number	0 611 924 ...	
Battery voltage	18 V	
Max. drilling dia. in concrete	22 mm	
Max. impact energy	1.9 J	
No-load speed	0 – 1,050 rpm	
Impact rate	0 – 4,675 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.3 kg	
Comes complete with	... 072	
2 x battery GBA 18V 4.0Ah (1 600 Z00 038)	x	
Quick charger GAL 18V-40 Professional (1 600 A01 9RK)	x	

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-24 C Professional

NEW!



Technical data		
Part number	0 611 923 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 24 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2.4 J	
Rated speed	0 – 980 rpm	
Impact rate at rated speed	0 – 4,350 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.9 kg	
Comes complete with		
	... 000	... 001
Body only	x	x
Carton box	x	–
L-BOXX 136 (1 600 A01 2G0)	–	x
L-BOXX Inlay (1 600 A02 SJ4)	–	x
Auxiliary handle (2 602 205 141)	x	x
Depth gauge (1 613 001 009)	x	x
Cleaning cloth (1 619 200 413)	x	x

### CORDLESS ROTARY HAMMER GBH 18V-24 C Professional

NEW!



Technical data		
Part number	0 611 923 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 24 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2.4 J	
Rated speed	0 – 980 rpm	
Impact rate at rated speed	0 – 4,350 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.9 kg	
Comes complete with		
	... 000	... 073
2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)	x	
Quick charger GAL 1880 CV (1 600 A00 B8H)	x	
L-BOXX 136 (1 600 A01 2G0)	x	
L-BOXX Inlay (1 600 A02 SJ4)	x	
Auxiliary handle (2 602 205 141)	x	
Depth gauge (1 613 001 009)	x	
Cleaning cloth (1 619 200 413)	x	

### CORDLESS ROTARY HAMMER GBH 18V-26 Professional



Technical data		
Part number	0 611 909 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 26 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2.6 J	
Rated speed	0 – 980 rpm	
Impact rate at rated speed	0 – 4,350 bpm	
Tool holder	SDS plus	
Comes complete with		
	... 000	... 001
Body only	x	x
1/1 L-BOXX inlay for tool (1 600 A00 HP1)	–	x
Auxiliary handle (2 602 025 141)	x	x
Cardboard box	x	–
Depth stop 210 mm (1 613 001 010)	x	x
L-BOXX 136 (1 600 A01 2G0)	–	x
Machine cloth	x	x

### CORDLESS ROTARY HAMMER GBH 18V-26 D Professional



Technical data		
Part number	0 611 916 ...	
Battery voltage	18 V	
Drilling dia. in concrete with hammer drill bits	4 – 26 mm	
Max. drilling diameter in metal	13 mm	
Max. drilling diameter in wood	30 mm	
Max. impact energy	2.5 J	
Rated speed	0 – 980 rpm	
Impact rate at rated speed	0 – 4,350 bpm	
Tool holder	SDS plus	
Weight excl. battery	2.6 kg	
Comes complete with		
	... 000	... 001
Body only	x	x
Auxiliary handle (2 602 025 141)	x	x
Cardboard box	x	–
Depth stop 210 mm (1 613 001 010)	x	x
Machine cloth (spare part number 1 619 200 413)	x	

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-26 F Professional



Technical data	
Part number	0 611 910 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	4 – 26 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	2.6 J
Rated speed	0 – 980 rpm
Impact rate at rated speed	0 – 4,350 bpm
Tool holder	SDS plus
Comes complete with ... 000	
1/1 L-BOXX inlay for tool (1 600 A00 HP1)	–
2 x battery GBA 18V 6.0Ah (1 600 A00 4ZN)	–
Auxiliary handle (2 602 025 141)	x
Cardboard box	x
Depth stop 210 mm (1 613 001 010)	x
L-BOXX 136 (1 600 A01 2G0)	–
Machine cloth	x
Quick change chuck 13 mm (2 608 572 212)	x
Quick charger GAL 1880 CV (1 600 A00 B8G)	–
SDS plus quick-change chuck (2 608 572 213)	x

### CORDLESS ROTARY HAMMER GBH 18V-26 F Professional



Technical data	
Part number	0 611 910 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	4 – 26 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	2.6 J
Rated speed	0 – 980 rpm
Impact rate at rated speed	0 – 4,350 bpm
Tool holder	SDS plus
Comes complete with ... 078	
1/1 L-BOXX inlay for tool (1 600 A00 HP1)	x
2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)	x
Auxiliary handle (2 602 025 141)	x
Depth stop 210 mm (1 613 001 010)	x
L-BOXX 136 (1 600 A01 2G0)	x
Quick change chuck 13 mm (2 608 572 212)	x
Quick charger GAL 18V-160 C Professional (1 600 A01 9S7)	x
SDS plus quick-change chuck (2 608 572 213)	x

### CORDLESS ROTARY HAMMER GBH 18V-28 C Professional

**NEW!**



Technical data		
Part number	0 611 920 ...	
Battery voltage	18 V	
Max. impact energy	3.4 J	
No-load speed	0 – 950 rpm	
Impact rate	0 – 4,220 1/min	
Max. drilling diameter in concrete	28 mm	
Weight excl. battery	3.3 kg	
Comes complete with ... 000 ... 001		
Body only	x	x
Carton	x	–
L-BOXX 238 (1 600 A01 2G2)	–	x
L-BOXX inlay (6 082 850 74J)	–	x

### CORDLESS ROTARY HAMMER GBH 18V-28 CF Professional

**NEW!**



Technical data	
Part number	0 611 921 ...
Battery voltage	18 V
Max. impact energy	3.4 J
No-load speed	0 – 950 rpm
Impact rate	0 – 4,220 1/min
Max. drilling diameter in concrete	28 mm
Weight excl. battery	3.3 kg
Comes complete with ... 001	
Body only	x
L-BOXX 238 (1 600 A01 2G2)	x
L-BOXX inlay (6 082 850 74J)	x
Quick Change Chuck (1 617 000 V49)	x

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-28 CF Professional

**NEW!**



Technical data	
Part number	0 611 921 ...
Battery voltage	18 V
Max. impact energy	3.4 J
No-load speed	0 – 950 rpm
Impact rate	0 – 4,220 1/min
Max. drilling diameter in concrete	28 mm
Weight excl. battery	3.3 kg
<b>Comes complete with</b>	<b>... 075</b>
2x ProCORE18V 8.0Ah (1607A350AT)	x
Quick charger GAL 1880 CV (2 607 225 921)	x
L-BOXX 238 (1 600 A01 2G2)	x
L-BOXX inlay (6 082 850 74J)	x
Quick Change Chuck (1 617 000 V49)	x

### CORDLESS ROTARY HAMMER GBH 18V-28 DC Professional



Technical data	
Part number	0 611 919 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	25 – 68 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	3.4 J
Rated speed	0 – 980 rpm
Tool holder	SDS plus
<b>Comes complete with</b>	<b>... 000</b>
Body only	x
Auxiliary handle	x
Depth gauge (1 613 001 009)	x
Cleaning cloth (1 619 200 413)	x
Carton box w/carton insert	x

5

### CORDLESS ROTARY HAMMER GBH 18V-34 CF Professional



**BITURBO**  
BRUSHLESS



Technical data	
Part number	0 611 914 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	8 – 32 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max. impact energy	5.8 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS plus
Weight excl. battery	4.9 kg
<b>Comes complete with</b>	<b>... 073</b>
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
2 x battery ProCORE18V 5.5Ah (1 600 A02 149)	x
Auxiliary handle (2 608 000 703)	x
Carrying case (spare part number 1 605 438 1G2)	x
Depth stop (spare part number 1 613 001 009)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number: 1 619 200 413)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x
Quick-change chuck 1.5 - 13 mm (2 608 000 710)	x
SDS plus quick-change chuck (2 608 000 704)	x

### CORDLESS ROTARY HAMMER GBH 18V-34 CF Professional



**BITURBO**  
BRUSHLESS



Technical data	
Part number	0 611 914 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	8 – 32 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max. impact energy	5.8 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS plus
Weight excl. battery	4.9 kg
<b>Comes complete with</b>	<b>... 072</b>
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)	x
Auxiliary handle (2 608 000 703)	x
Carrying case (spare part number 1 605 438 1G2)	x
Depth stop (spare part number 1 613 001 009)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number 1 619 200 413)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x
Quick-change chuck 1.5 - 13 mm (2 608 000 710)	x
SDS plus quick-change chuck (2 608 000 704)	x

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-34 CF Professional



Technical data	
Part number	0 611 914 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	8 – 32 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max. impact energy	5.8 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS plus
Weight excl. battery	4.9 kg
Comes complete with ... 001	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
Auxiliary handle (2 608 000 703)	x
Carrying case (spare part number 1 605 438 1G2)	x
Depth stop (spare part number 1 613 001 009)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number 1 619 200 413)	x
Quick-change chuck 1.5 · 13 mm (2 608 000 710)	x
SDS plus quick-change chuck (2 608 000 704)	x

### CORDLESS ROTARY HAMMER GBH 18V-36 C Professional



Technical data	
Part number	0 611 915 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	14 – 35 mm
Max. impact energy	7 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS max
Weight excl. battery	5.1 kg
Comes complete with ... 001	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
Auxiliary handle (2 608 000 702)	x
Carrying case (spare part number 1 605 438 1G2)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number 1 619 200 413)	x

### CORDLESS ROTARY HAMMER GBH 18V-36 C Professional



Technical data	
Part number	0 611 915 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	14 – 35 mm
Max. impact energy	7 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS max
Weight excl. battery	5.1 kg
Comes complete with ... 073	
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
2 x battery ProCORE18V 5.5Ah (1 600 A02 149)	x
Auxiliary handle (2 608 000 702)	x
Carrying case (spare part number 1 605 438 1G2)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number: 1 619 200 413)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x

### CORDLESS ROTARY HAMMER GBH 18V-36 C Professional



Technical data	
Part number	0 611 915 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	14 – 35 mm
Max. impact energy	7 J
Rated speed	0 – 500 rpm
Impact rate at rated speed	0 – 2,900 bpm
Tool holder	SDS max
Weight excl. battery	5.1 kg
Comes complete with ... 072	
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)	x
Auxiliary handle (2 608 000 702)	x
Carrying case (spare part number 1 605 438 1G2)	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth (spare part number 1 619 200 413)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x

5

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS

### CORDLESS ROTARY HAMMER GBH 18V-40 C Professional

NEW!



Technical data	
Part number	0 611 917 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	12 – 40 mm
Max. impact energy	9 J
Rated speed	0 – 360 rpm
Impact rate at rated speed	0 – 3,130 bpm
Tool holder	SDS max
Weight excl. battery	7 kg
Comes complete with ... 100	
Body only	x
XL-BOXX (1 605 438 1JH)	x
Machine cloth	x
Grease tube (spare part number 1 615 430 010)	x
Auxiliary handle (1 607 031 2E7)	x

### CORDLESS ROTARY HAMMER GBH 18V-40 C Professional

NEW!



Technical data	
Part number	0 611 917 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	12 – 40 mm
Max. impact energy	9 J
Rated speed	0 – 360 rpm
Impact rate at rated speed	0 – 3,130 bpm
Tool holder	SDS max
Weight excl. battery	7 kg
Comes complete with ... 172	
2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x
XL-BOXX (1 605 438 1JH)	x
Machine cloth	x
Grease tube (spare part number 1 615 430 010)	x

5

### CORDLESS ROTARY HAMMER GBH 18V-45 C Professional



**BITURBO**  
BRUSHLESS



Technical data	
Part number	0 611 913 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	12 – 45 mm
Max. impact energy	12.5 J
Rated speed	0 – 305 rpm
Impact rate at rated speed	0 – 2,760 bpm
Tool holder	SDS max
Weight excl. battery	8 kg
Comes complete with ... 000	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH)	x
Auxiliary handle (1 607 031 2E7)	x
Carrying case	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth	x

### CORDLESS ROTARY HAMMER GBH 18V-45 C Professional



**BITURBO**  
BRUSHLESS



Technical data	
Part number	0 611 913 ...
Battery voltage	18 V
Drilling dia. in concrete with hammer drill bits	12 – 45 mm
Max. impact energy	12.5 J
Rated speed	0 – 305 rpm
Impact rate at rated speed	0 – 2,760 bpm
Tool holder	SDS max
Weight excl. battery	8 kg
Comes complete with ... 072	
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH)	x
2 x battery ProCORE18V 12.0Ah (1 600 A01 6GU)	x
Auxiliary handle (1 607 031 2E7)	x
Carrying case	x
Grease tube (spare part number 1 615 430 010)	x
Machine cloth	x
Quick charger GAL 18V-160 C Professional (1 600 A01 9S7)	x

# ROTARY HAMMERS, DEMOLITION HAMMERS, BREAKERS, CONCRETE NAILERS

## CORDLESS ROTARY HAMMERS, BATTERY

### CORDLESS ROTARY HAMMER GBH 36 V-LI Plus Professional



Technical data	
Part number	0 611 906 ...
Battery voltage	36 V
Drilling dia. in concrete with hammer drill bits	4 – 28 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	3.2 J
Rated speed	0 – 940 rpm
Impact rate at rated speed	0 – 4,200 bpm
Tool holder	SDS plus
<b>Comes complete with</b>	<b>... 000</b>
Body only	x
Depth stop (spare part number 1 613 001 009)	x
Grease tube (spare part number 1 615 430 010)	x
L-BOXX	x
Machine cloth (spare part number 1 619 200 413)	x

### CORDLESS ROTARY HAMMER GBH 36 VF-LI Plus Professional



Technical data	
Part number	0 611 907 ...
Battery voltage	36 V
Drilling dia. in concrete with hammer drill bits	4 – 28 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	3.2 J
Rated speed	0 – 940 rpm
Impact rate at rated speed	0 – 4,200 bpm
Tool holder	SDS plus
<b>Comes complete with</b>	<b>... 000</b>
Body only	x
Depth stop (spare part number 1 613 001 009)	x
Grease tube (spare part number 1 615 430 010)	x
L-BOXX	x
Machine cloth (spare part number 1 619 200 413)	x

### CORDLESS ROTARY HAMMER GBH 36 VF-LI Plus Professional



Technical data	
Part number	0 611 907 ...
Battery voltage	36 V
Drilling dia. in concrete with hammer drill bits	4 – 28 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	30 mm
Max. impact energy	3.2 J
Rated speed	0 – 940 rpm
Impact rate at rated speed	0 – 4,200 bpm
Tool holder	SDS plus
<b>Comes complete with</b>	<b>... 000</b>
2 x battery GBA 36V 6.0Ah (1 600 A00 L1M)	x
Quick charger	x
L-BOXX 238 (1 600 A01 2G2)	x
1/1 L-BOXX inlay for tool and charger (1 600 A00 4L0)	x
Auxiliary handle (2 602 025 191)	x
Depth stop (1 613 001 003)	x

### BATTERY GBA 36V 2.0Ah Professional



Technical data	
Part number	1 600 Z00 ...
<b>Comes complete with</b>	<b>... 03B</b>
1 x battery GBA 36V 2.0Ah (1 600 Z00 03B)	x
Cardboard box	x

5