

# CORDLESS RANDOM ORBIT SANDER

## GEX 12V-125 Professional



### Technical data

Part number	0 601 372 ...
Battery voltage	12 V
No-load speed	6,000 – 10,000 rpm
Orbital stroke rate	12,000 – 20,000 opm
Orbit diameter	2.5 mm
Eccentricity	1.25 mm
Sanding pad diameter	125 mm
Sanding sheet / disc attachment	Hook-and-loop fastening
Tool dimensions (width x length x height)	153 x 194 x 108 mm
Weight excl. battery	0.95 kg

### Comes complete with

	... 100	... 101
Body only	x	x
1 x sanding sheet C430, Expert for Wood + Paint, 120 (available separately as set of 5: 2 608 605 643)	x	x
Dust bag (2 608 000 715)	x	x
L-BOXX 136 (1 600 A01 2G0)	x	–
Sanding pad (125 mm) (2 608 000 714)	x	x

# CORDLESS RANDOM ORBIT SANDER

## GEX 18V-125 Professional



### Technical data

Part number	0 601 372 ...
Battery voltage	18 V
No-load speed	6,000 – 10,000 rpm
Orbital stroke rate	12,000 – 20,000 opm
Orbit diameter	2.5 mm
Eccentricity	1.25 mm
Sanding pad diameter	125 mm
Sanding sheet / disc attachment	Hook-and-loop fastening
Tool dimensions (width x length x height)	153 x 224 x 108 mm
Weight excl. battery	1.1 kg

Comes complete with	... 200	... 201
Body only	x	x
1 x sanding sheet C430, Expert for Wood + Paint, 120 (available separately as set of 5: 2 608 605 643)	x	x
Dust bag (2 608 000 715)	x	x
L-BOXX 136 (1 600 A01 2G0)	x	-
Sanding pad (125 mm) (2 608 000 714)	x	x

# CORDLESS ORBITAL SANDER

## GSS 12V-13 Professional



### Technical data

Part number	0 601 9L0 ...
Battery voltage	12 V
Rectangular plate size	80 x 130 mm
Square plate size	100 x 110 mm
Delta plate size	100 x 150 mm
Load speed	6,000 – 10,000 rpm
Orbital stroke rate	12,000 – 20,000 min <sup>-1</sup>
Orbital Diameter	1.6 min <sup>-1</sup>
Weight excl. battery	0.8 kg

### Comes complete with ... 001

Body only	x
L-BOXX 136 (1 600 A01 2G0)	x
Rectangular base plate (2 608 601 447)	x
Square base plate (2 608 601 446)	x
Delta base plate (2 608 601 448)	x
Rectangular sanding plate (2 608 601 444)	x
Square sanding plate (2 608 601 443)	x
Delta sanding plate (2 608 601 445)	x
Hole punch (2 608 000 652)	x

# CORDLESS ORBITAL SANDER

## GSS 18V-10 Professional



### Technical data

Part number	0 601 9D0 ...
Battery voltage	18 V
No-load orbital stroke rate	22,000 opm
Orbit diameter	1.6 mm
Sanding plate, width	113 mm
Sanding plate, length	101 mm

### Comes complete with

	... 200	... 202
Body only	x	x
1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 232)	-	x
1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 458)	x	x
1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 608 Z96)	-	x
Base plate, 113 x 101 mm (2 608 601 446) with sanding plate (2 608 601 443)	x	x
Base plate, 80 x 130 mm (2 608 601 447) with sanding plate (2 608 601 444)	-	x
Cardboard box	x	-
Delta base plate, 100 x 150 mm (2 608 601 448) with sanding plate (2 608 601 445)	-	x
Hole punch (2 608 190 059)	x	x
L-BOXX 136 (1 600 A01 2G0)	-	x
L-BOXX inlay	-	x
Microfilter box	x	x
Sanding paper G120	x	-
Screwdriver	-	x

# CORDLESS ORBITAL SANDER

## GSS 18V-13 Professional

NEW!



### Technical data

Part number	0 601 9L0 ...
Battery voltage	18 V
No-load orbital stroke rate	20,000 opm
Orbit diameter	1.6 mm
Sanding plate, width	80 mm
Sanding plate, length	130 mm

### Comes complete with ... 101

Body only	x
L-BOXX 136 (1 600 A01 2G0)	x
Dust bag (2 608 000 715)	x
Rectangular base plate, 80 x 130 mm (2 608 601 447)	x
Delta base plate, 100 x 150 mm (2 608 601 448)	x
Square base plate, 113 x 101 mm (2 608 601 446)	x
Rectangular sanding plate (2 608 601 444)	x
Delta sanding plate (2 608 601 445)	x
Square sanding plate (2 608 601 443)	x
Hole punch (2 608 000 652)	x