

CORDLESS SPOT GRINDER GWG 12V-50 S Professional

NEW!



Technical data

Part number	0 601 3A7 ...
Battery voltage	12 V
No-load speed	5,000 / 7,500 / 10,000 / 12,500 / 15,000 rpm

Max. disc size 50 mm

Max. collet size 8 mm

Weight excl. battery 0.53 kg

Comes complete with ... 000

Body only	x
Carton	x
Collet (6mm) and nut (2 608 570 084)	x
Wrench	x

CORDLESS ANGLE GRINDER GWS 12V-76 V-EC Professional



Technical data

Part number	0 601 9F2 ...
Battery voltage	12 V
No-load speed	19,500 rpm

Grinding/cutting disc, diameter 76 mm

Bore size, diameter 10 mm

Grinding spindle thread M5

Weight excl. battery 0.5 kg

Comes complete with ... 070

Body only	x
Carton	x
3x cutting discs	x

CORDLESS ANGLE GRINDER GWS 18V-10 P Professional



Technical data		
Part number	0 601 9J4 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Disc size	100 / 125 mm	
Grinding spindle thread	M14	
Weight excl. battery	1.9 kg	
Comes complete with		
	... 100	... 102
Body only	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	-	x
Vibration Control auxiliary handle (2 602 025 171)	x	x
Protective guard (1 605 510 365)	x	x
Quick-locking nut (2 608 000 684)	x	x
Backing flange (2 605 703 014)	x	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-7 Professional



Technical data		
Part number	0 601 9H9 ...	
Battery voltage	18 V	
No-load speed	11,000 rpm	
Grinding/cutting disc, diameter	125 mm	
Bore size, diameter	22.2 mm	
Grinding spindle thread	M14	
Weight excl. battery	1.6 kg	
Comes complete with		
	... 001	... 002
Body only	x	x
1/1 L-BOXX inlay (1 600 A02 2ZN)	x	x
Auxiliary handle (1 602 025 024)	x	x
Backing flange (1 605 703 099)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Locking nut (1 603 340 040)	x	x
Protective guard (2 608 000 678)	x	x
Two-hole spanner (1 607 950 043)	x	x

CORDLESS ANGLE GRINDER GWS 18V-10 Professional



Technical data		
Part number	0 601 9J4 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Weight excl. battery	2.1 kg	
Comes complete with		
	... 002	... 003
Body only	x	x
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	-	x
Backing flange (spare part number 2 605 703 014)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Protective guard (1 605 510 365)	x	x
Quick-locking nut (2 608 000 684)	x	x

CORDLESS ANGLE GRINDER GWS 18V-10 Professional



Technical data		
Part number	0 601 9J4 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Weight excl. battery	2.1 kg	
Comes complete with		
	... 000	... 001
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	-	x
Backing flange (spare part number 2 605 703 014)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Protective guard (1 605 510 364)	x	-
Quick-locking nut (2 608 000 684)	x	x
2 x 4.0Ah batteries	-	-
GAL 18V-40 (1 600 A01 9RK)	-	-

CORDLESS SMALL ANGLE GRINDER GWS 18V-7 Professional



Technical data	
Part number	0 601 9H9 ...
Battery voltage	18 V
No-load speed	11,000 rpm
Grinding/cutting disc, diameter	115 mm
Bore size, diameter	22.2 mm
Grinding spindle thread	M14
Weight excl. battery	1.6 kg
Comes complete with ... 070	
1/1 L-BOXX inlay for tool and charger	x
L-BOXX 136	x
Backing flange (1 605 703 099)	x
Quick-locking nut	x
Protective guard (2 608 000 678)	x
2 x 4.0Ah batteries	x
GAL 18V-40 (1 600 A01 9RK)	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-7 Professional



Technical data		
Part number	0 601 9H9 ...	
Battery voltage	18 V	
No-load speed	11,000 rpm	
Grinding/cutting disc, diameter	115 mm	
Bore size, diameter	22.2 mm	
Grinding spindle thread	M14	
Weight excl. battery	1.6 kg	
Comes complete with ... 003 ... 004		
Body only	x	x
1/1 L-BOXX inlay (1 600 A02 2ZN)	-	x
Auxiliary handle (1 602 025 024)	x	x
Backing flange (1 605 703 099)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Locking nut (1 603 340 040)	x	x
Protective guard (2 608 000 677)	x	x
Two-hole spanner (1 607 950 043)	x	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-10 SC Professional



Technical data	
Part number	0 601 9G3 ...
Battery voltage	18 V
No-load speed	4,500 – 9,000 rpm
Grinding/cutting disc, diameter	125 mm
Bore size, diameter	22.2 mm
Grinding spindle thread	M14
Weight excl. battery	2 kg
Comes complete with ... 40B	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	x
Backing flange (spare part number 2 605 703 014)	x
L-BOXX 136 (1 600 A01 2G0)	x
Protective guard (1 605 510 365)	x
Quick-locking nut (2 608 000 684)	x
Vibration Control auxiliary handle (2 602 025 171)	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-10 SC Professional



Technical data	
Part number	0 601 9G3 ...
Battery voltage	18 V
No-load speed	4,000 – 7,500 rpm
Grinding/cutting disc, diameter	150 mm
Bore size, diameter	22.2 mm
Grinding spindle thread	M14
Weight excl. battery	2 kg
Comes complete with ... 50B	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
Backing flange (spare part number 2 605 703 014)	x
L-BOXX 136 (1 600 A01 2G0)	x
Protective guard (1 605 510 366)	x
Quick-locking nut (2 608 000 684)	x
Vibration Control auxiliary handle (2 602 025 171)	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-10 PC Professional



Technical data		
Part number	0 601 9G3 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Grinding/cutting disc, diameter	125 mm	
Grinding spindle thread	M14	
Weight excl. battery	2 kg	
Comes complete with ... E0A ... E0B		
Body only	x	x
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	-	x
Backing flange (spare part number 2 605 703 014)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Protective guard (1 605 510 365)	x	x
Quick-locking nut (2 608 000 684)	x	x
Vibration Control auxiliary handle (2 602 025 171)	x	x

CORDLESS SMALL ANGLE GRINDER GWS 18V-10 PSC Professional



Technical data		
Part number	0 601 9G3 ...	
Battery voltage	18 V	
No-load speed	4,500 – 9,000 rpm	
Grinding/cutting disc, diameter	125 mm	
Bore size, diameter	22.2 mm	
Grinding spindle thread	M14	
Weight excl. battery	2 kg	
Comes complete with ... F0B		
Body only	x	
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x	
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	x	
Backing flange (spare part number 2 605 703 014)	x	
L-BOXX 136 (1 600 A01 2G0)	x	
Protective guard (1 605 510 365)	x	
Quick-locking nut (2 608 000 684)	x	
Vibration Control auxiliary handle (2 602 025 171)	x	

CORDLESS SMALL ANGLE GRINDER GWS 18V-15 C Professional



Technical data		
Part number	0 601 9H6 ...	
Battery voltage	18 V	
No-load speed	9,800 rpm	
Grinding/cutting disc, diameter	125 mm	
Bore size, diameter	22.23 mm	
Grinding spindle thread	M14	
Weight excl. battery	2.2 kg	
Comes complete with ... 000		
Body only	x	
Backing flange (spare part number 2 605 703 014)	x	
L-BOXX 136 (1 600 A01 2G0)	x	
Protective guard (1 605 510 365)	x	
Quick-locking nut (2 608 000 684)	x	
Vibration Control auxiliary handle (2 602 025 171)	x	

CORDLESS SMALL ANGLE GRINDER GWS 18V-15 SC Professional



Technical data		
Part number	0 601 9H6 ...	
Battery voltage	18 V	
No-load speed	3,400 – 9,800 rpm	
Grinding/cutting disc, diameter	125 mm	
Bore size, diameter	22.23 mm	
Grinding spindle thread	M14	
Weight excl. battery	2.3 kg	
Comes complete with ... 100		
Body only	x	
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x	
Backing flange (spare part number 2 605 703 014)	x	
L-BOXX 136 (1 600 A01 2G0)	x	
Protective guard (1 605 510 365)	x	
Quick-locking nut (2 608 000 684)	x	
Vibration Control auxiliary handle (2 602 025 171)	x	

CORDLESS ANGLE GRINDER GWS 18V-15 P Professional

NEW!



BITURBO
BRUSHLESS



Technical data	
Part number	0 601 9H6 ...
Battery voltage	18 V
No-load speed	9,800 rpm
Bore size, diameter	22.2 mm
Grinding spindle thread	M14
Weight excl. battery	2.2 kg
Comes complete with ... A00	
Body only	x
Cardboard box	x
Protective guard (1 605 510 365)	x
Protective clip-on cutting guard metal (2 608 000 756)	x
Vibration Control auxiliary handle (2 608 900 000)	x
Quick-locking nut (2 608 000 684)	x

CORDLESS ANGLE GRINDER GWS 18V-180 P Professional

NEW!



BITURBO
BRUSHLESS



Technical data	
Part number	0 601 9H6 ...
Battery voltage	18 V
No-load speed	6,11 rpm
Bore size, diameter	22.2 mm
Grinding spindle thread	M14
Weight excl. battery	2.8 kg
Comes complete with ... L01	
Body Only	x
Cardboard Box	x
2x bonded cutting disc Expert for Inox - Rapido (2 608 603 406)	x
1x diamond cutting disc Standard for Universal (2 608 615 063)	x
Anti-vibration auxiliary handle (1 607 000 E8B)	x
Keyless protection guard (1 600 A02 84A)	x
Clip-on guard (2 608 000 762)	x

CORDLESS SMALL ANGLE GRINDER GWX 18V-10 Professional



XLOCK



Technical data

Part number	0 601 7B0 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Grinding/cutting disc, diameter	125 mm	
Weight excl. battery	2 kg	
Comes complete with	... 100	... 101
Body only	x	x
1/1 L-BOXX inlay for tool and charger (1 600 A01 166)	-	x
Auxiliary handle (1 602 025 024)	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Protective guard (1 605 510 365)	x	x

CORDLESS ANGLE GRINDER GWX 18V-10 P Professional



XLOCK



Technical data

Part number	0 601 9J4 ...	
Battery voltage	18 V	
No-load speed	9,000 rpm	
Disc size	125 mm	
Spindle	X-LOCK	
Weight excl. battery	1.9 kg	
Comes complete with	... 200	... 201
Body only	x	x
Cardboard box	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
Protective guard (1 605 510 365)	x	x
Vibration Control auxiliary handle (2 602 025 171)	x	x

