



FRESH[®]

Food Processing Machine 2025

VARIETY VALUE FAVOURITES TRUST



FRESH was established in 2003, in the beginning we commenced humbly with one product category in this line which is bakery related equipment selling mixers and ovens.

With persevering efforts and commitment to grow of our business and to serve our customer better, we have to-date organically built and developed to 10 products categories such as bakery & noodle equipment, kitchen equipment, cooling & ice making machine, bar & snack and others on this product line.

Our vision is to build a one-stop food service and retail equipment supply chain. Not only do we supply equipment, we also provide expertise and consultancy for the entire system including setting up a production line in food processing factories.

To achieve our long term goals, we fully committed to five key values, namely: Customer Satisfaction, Innovation, Product Quality, Teamwork and Ethical Behaviour.

We adopt a warm and a family-like culture in our company as we strongly believe that good working relationships and harmonic collaboration will foster teamwork and innovation.

This encourages our employees to go beyond their limits for their personal growth and development, while enjoying what they are doing.



CONTENTS

BAKERY & NOODLE EQUIPMENT

Dough Sheeter
Noodle Machine
Dough Moulder
Food Mixer
Spiral Mixer
Horizontal Dough Mixer
Dough Divider & Rounder
Convection Oven
Electric Oven
Gas Oven
Fermenting Box
Retarder Proofer
Electric Dryer
Bread Slicer

01



BAR & SNACK EQUIPMENT

Gas Fryer
Electric Fryer
Induction Cooker
Noodle Cooker
Open Burner
Barbecue Oven
Environmental Roaster
Salamander
Radiant Broiler
Gas Griddle
Food Display Warmer
Bain Marie
Egg Boiler
Conveyor Toaster
Hamburger Machine
Popcorn Machine
Hot Dog Roller
Waffle Baker
Soup Kettle
Water Boiler
Cup Sealer

08



COOKING EQUIPMENT

Gas Steamer
Electric Steamer
Vertical Broiler
Sharwama Broiler
Stir-Fry Stove
Multipurpose Cooker
Cooking Mixer

16

COFFEE & JUICE MAKING MACHINE

Blender
Milk Shake Mixer
Dispenser
Sugarcane Machine

18

SOYABEAN PROCESSING MACHINE

Soyabean Grinder & Rice Grinder
Soyabean Milk Machine
Bean Curd Machine
Chili Grinder

19

COOLING & ICE MAKING MACHINE

Ice Shaving Machine
Ice Crusher
Ice Maker

20

KITCHEN MACHINE

Meat Slicer
Meat Chopper
Chicken Cutter Machine
Chicken Feather Machine
Bone Saw Machine
Meat Ball Machine
Fish Cake Mixer
Universal Fritter
Bowl Cutter
Blender
Vegetable Cutter
Fish Bone Divider
Sausage Filler
Dewatering Machine
Vibro Separator Filter
Grinding Machine
Medicine Machine

21

REFRIGERATOR

Upright Refrigerator
Upright Combination Refrigerator
Under Counter Refrigerator
Under Counter Combination Refrigerator
Drawer Refrigerator
Display Refrigerator
Island Freezer
Chest Freezer
Display Cooler
Cake Showcase

27



COCONUT MACHINE

Coconut Grinder
Milk Extractor

35

PACKAGING MACHINE

Impulse Sealer
Vacuum Packager
Wrapping Packager

36

S/STEEL KITCHEN EQUIPMENT

Beverage Cart
Dinning Cart
Folding Trolley
Cooling Trolley
Dishes Collecting Cart
Ice Bucket
Water Boiler with Cup Holder
Burner Stand
Soup Pot Stand
Working Table
Folding Table
Rack
Upper Shelve
Worktable Sliding Door Cabinet
Mee Counter
Tea Counter
Sink Table
Grease Trap

37

Dough Sheeter & Noodle Machine



	NE-8B	MT-25T	MT-25 (ss)	MT-50B (ss)	MT-60B (ss)
Power (kW/V/Hz)	0.26/230/50	0.37/230/50	1.1/230/50	1.5/230/50	1.5/230/50
Productivity (kg/h)	12	12-25	20-30	50	60
Roller (cm)	20	21 x Ø6	20 x Ø9	25 x Ø12.3	30 x Ø12.3
Knife Width (mm)	2 X 6	1.5 / 2	1.5 / 2 / 3 / 5	1.5 / 2 / 3 / 5	1.5 / 2 / 3 / 5
Thickness (cm)	0.1-0.35	0.05-0.7	0.05-0.5	0.05-1.5	0.05-1.5
Weight (kg)	21	61	81	150	160
Dim (LxWxH) (cm)	38x33x37	33x25x32	40x30x86	56x55x104	60x55x105

Dough Sheeter



	DS 1/2	MT-288 (ss)	JDR-520B	LSP-500
Power (kW/V/Hz)	0.37/230/50	1.1/230/50	0.55/230/50	0.55/230/50
Roller (cm)	30	28.8	52	50
Thickness (cm)	0.1-0.8	0.2-2.5	0.1-3.5	0.1-3.5
Conveyer Belt (cm)	-	-	50x200	50x200
Weight (kg)	59	101	125	190
Dim (LxWxH) (cm)	62x72x40	71x56x123	208x88x62	255x88x118

(made in Taiwan)

TA-101

Power (kW/V/Hz)	0.75/230/50
Roller (cm)	38
Roller Gap (cm)	0.1-2
Weight (kg)	200
Dim (LxWxH) (cm)	136x68x110



Dough Moulder



Food Mixer



Power (kW/V/Hz)	0.2/230/50	0.28/230/50	0.35/230/50
Dough (kg)	0.6	0.9	1.3
Bowl (l)	5	7	7
Weight (kg)	17	18	15
Dim (LxWxH) (cm)	42x24x43	42x24x43	40x24x44

	B5	B7	FL7A
Power (kW/V/Hz)	0.2/230/50	0.28/230/50	0.35/230/50
Dough (kg)	0.6	0.9	1.3
Bowl (l)	5	7	7
Weight (kg)	17	18	15
Dim (LxWxH) (cm)	42x24x43	42x24x43	40x24x44



Power (kW/V/Hz)	0.6/230/50	0.6/230/50	1.1/230/50	1.1/230/50	1.5/230/50
Dough (kg)	3	3	6	6	8
Bowl (l)	10	10	20	20	30
Weight (kg)	70	68	110	108	180
Dim (LxWxH) (cm)	40x51x61	40x51x61	60x44x79	60x44x79	53x44x91

	B10-3	B10-3E	B20	B20E	B30
Power (kW/V/Hz)	0.6/230/50	0.6/230/50	1.1/230/50	1.1/230/50	1.5/230/50
Dough (kg)	3	3	6	6	8
Bowl (l)	10	10	20	20	30
Weight (kg)	70	68	110	108	180
Dim (LxWxH) (cm)	40x51x61	40x51x61	60x44x79	60x44x79	53x44x91

Food Mixer (Taiwan)

Power (kW/V/Hz)	0.45/230/50	0.38/230/50	0.75/230/50
Flour (kg)	2	4	7
Bowl (l)	10	20	30
Weight (kg)	75	90	150
Dim (LxWxH) (cm)	49x41x64	55x50x84	63x64x101

	SE-101	SE-201	SE-301
Power (kW/V/Hz)	0.45/230/50	0.38/230/50	0.75/230/50
Flour (kg)	2	4	7
Bowl (l)	10	20	30
Weight (kg)	75	90	150
Dim (LxWxH) (cm)	49x41x64	55x50x84	63x64x101

Power (kW/V/Hz)	1.1/230/50	1.5/230/50
Flour (kg)	10	14
Bowl (l)	40	50
Weight (kg)	170	200
Dim (LxWxH) (cm)	64x61x105	65x61x107

	SE-401	SE-501
Power (kW/V/Hz)	1.1/230/50	1.5/230/50
Flour (kg)	10	14
Bowl (l)	40	50
Weight (kg)	170	200
Dim (LxWxH) (cm)	64x61x105	65x61x107



Spiral Mixer

	FM50	FM80
Power (kW/V/Hz)	3.3/415/50	5.75/415/50
Flour (kg)	5 - 25	8 - 50
Max. Dough (kg)	50	80
Bowl (l)	75	134
Speed (rpm)	132/265	123/225
Weight (kg)	285	460
Dim (LxWxH) (cm)	95x62x127	121x74x143



	HS-20	HS-30	HS-50
Power (kW/V/Hz)	1.5/230/50	1.5/230/50	2.2/230/50
Flour (kg)	2 - 8	3 - 12	4 - 20
Max. Dough (kg)	11	16	28
Bowl (l)	21	34	54
Mixing Speed (rpm)	150/200	150/200	150/200
Bowl Speed (rpm)	15/20	15/20	15/20
Weight (kg)	85	95	125
Dim (LxWxH) (cm)	73x39x90	75x44x90	85x51x97



	HWH-15	HWH-25
Power (kW/V/Hz)	1.5/230/50	2.2/230/50
Flour (kg)	11	18
Max. Dough (kg)	15	25
Speed (rpm)	40	40
Weight (kg)	68	81
Dim (LxWxH) (cm)	68x53x71	78x61x74



Horizontal Dough Mixer

	(made in Taiwan)		
	B-36	NFK-30	NFK-36
Power (kW/V/Hz)	0.18/230/50	0.75/230/50	0.75/230/50
Productivity (pcs)	36	30	36
Dividing Weight (kg)	0.035-0.1	0.03-0.1	0.02-0.08
Weight (kg)	120	368	368
Dim (LxWxH) (cm)	52x42x120	55x72x135	55x72x135

Dough Divider & Rounder



Convection Oven



	YSD-1AE	EC01C	EC01E
Power (kW/V/Hz)	2.6/230/50	4.5/230/50	6.0/230/50
Layer	4	4	4
Dish (pc)	4	4	4
Fan (pc)	2	2	1
Temperature (°C)	50-300	50-350	50-350
Chamber (LxWxH) (cm)	46X37X36	46X37X35	62X42X45
Weight (kg)	38	37	65
Dim (LxWxH) (cm)	60x53x57	67x65x47	92x82x60



	NFC-5D
Power (kW/V/Hz)	7.5/415/50
Layer	5
Dish (pc)	5
Fan (pc)	1
Temperature (°C)	50-300
Chamber (LxWxH) (cm)	43x68x60
Weight (kg)	150
Dim (LxWxH) (cm)	90x128x83



	NFC-8D
Power (kW/V/Hz)	15/415/50
Layer	8
Dish (pc)	8
Fan (pc)	2
Temperature (°C)	50-300
Chamber (LxWxH) (cm)	43x68x90
Weight (kg)	214
Dim (LxWxH) (cm)	90x128x123



Electric Oven



(Pizza Oven)

	YXD-10SS	YXD-11P
Power (kW/V/Hz)	3.0/230/50	3.0/230/50
Layer	1	1
Dish (pc)	1	1
Temperature (°C)	0-300	0-300
Chamber (LxWxH) (cm)	64x45x20	64x45x20
Weight (kg)	68	68
Dim (LxWxH) (cm)	92x64x44	92x64x44



	YXD-10DI	YXD-20CI	YXD-40CI	YXD-60CI	YXD-90CI
Power (kW/V/Hz)	2.8/230/50	6.6/230/50	13.0/415/50	16.9/415/50	24.0/415/50
Layer	1	1	2	3	3
Dish (pc)	1	2	4	6	9
Temperature (°C)	0-300	0-300	0-300	0-300	0-300
Chamber (LxWxH) (cm)	64x45x16	87x67x22	87x67x22	87x67x22	130x67x22
Weight (kg)	41	77	148	198	272
Dim (LxWxH) (cm)	93x59x41	122x82x53	122x82x126	122x82x153	165x82x158

Gas Oven



Power (kW/V/Hz)	0.1/230/50
Layer	1
Dish (pc)	1
Temperature (°C)	0-300
Gas	LPG
Gas Pressure (kpa)	2.8-3
Chamber (LxWxH) (cm)	64x45x16
Weight (kg)	58
Dim (LxWxH) (cm)	96x59x49

YXY-10DI	
Power (kW/V/Hz)	0.1/230/50
Layer	1
Dish (pc)	1
Temperature (°C)	0-300
Gas	LPG
Gas Pressure (kpa)	2.8-3
Chamber (LxWxH) (cm)	64x45x16
Weight (kg)	58
Dim (LxWxH) (cm)	96x59x49



	YXY-20AI	YXY-40AI	YXY-S-60AI	YXY-60AI	YXY-90AI
Power (kW/V/Hz)	0.1/230/50	0.2/230/50	0.2/230/50	0.3/230/50	0.3/230/50
Layer	1	2	2	3	3
Dish (pc)	2	4	6	6	9
Temperature (°C)	0-300	0-300	0-300	0-300	0-300
Gas	LPG	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3	2.8-3	2.8-3
Chamber (LxWxH) (cm)	91x72x23	91x72x23	133x72x23	91x72x23	133x72x23
Weight (kg)	113	208	281	281	385
Dim (LxWxH) (cm)	140x98.5x73	140x98.5x138	182x98.5x138	140x98.5x171	182x98.5x179



Gas Oven



	YXY-40ASS	YXY-60ASS	YXY-90ASS
Power (kW/V/Hz)	0.2/230/50	0.3/230/50	0.3/230/50
Layer	2	3	3
Dish (pc)	4	6	9
Temperature (°C)	0-300	0-300	0-300
Gas	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3
Chamber (LxWxH) (cm)	84x63x22	84x63x22	124x63x22
Weight (kg)	220	290	430
Dim (LxWxH) (cm)	124x87x105	124x87x151	165x94x170



Gas Oven

	YXY-12AY
Power (kW/V/Hz)	0.1/230/50
Layer	1
Dish (pc)	2
Temperature (°C)	0-300
Gas	LPG
Gas Pressure (kpa)	2.8-3
Chamber (LxWxH) (cm)	55x75x20
Weight (kg)	78
Dim (LxWxH) (cm)	90x99x57



	YXY-20AY	YXY-40AY	YXY-60AY	YXY-90AY
Power (kW/V/Hz)	0.1/230/50	0.2/230/50	0.3/230/50	0.3/230/50
Layer	1	2	3	3
Dish (pc)	2	4	6	9
Temperature (°C)	0-300	0-300	0-300	0-300
Gas	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3	2.8-3
Chamber (LxWxH) (cm)	91x72x23	91x72x23	91x72x23	133x72x23
Weight (kg)	113	208	281	385
Dim (LxWxH) (cm)	140x99x74	140x99x138	140x99x179	182x99x179



Fermenting Box / Retarder Proofer



	FX-11B	FX-22B	FX-16SC
Power (kW/V/Hz)	2.4/230/50	2.6/230/50	3.3/230/50
Layer	11	22	16
Humidity (°C)	30-110	30-110	-
Humidity (%)	-	-	20-99
Temperature (°C)	0-60	0-60	0-50
Refrigerant	-	-	R134a
Weight (kg)	50	85	190
Dim (LxWxH) (cm)	50x75x161	102x75x162	60x96x211



Electric Dryer

	XYD-1A
Power (kW/V/Hz)	4.2/230/50
Layer	10
Temperature (°C)	0-100
Timer (min)	0-99
Weight (kg)	105
Dim (LxWxH) (cm)	85x62x141



Bread Slicer

	TR-12
Power (kW/V/Hz)	0.25/230/50
Layer	30
Thickness (cm)	1.2
Weight (kg)	60
Dim (LxWxH) (cm)	65x74x75



Gas Fryer



	GF-71	GF-72	GF-181	GF-182
Capacity (l)	10	10+10	18	18+18
Temperature (°C)	-	-	60-220	60-220
Control Switch	1	2	1	2
Gas	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3	2.8-3
Weight (kg)	12.5	22	29	36
Dim (LxWxH) (cm)	29x47x48	58x47x48	34x63x65	68x66x65



Capacity (l)	12+12	17
Temperature (°C)	160-220	160-220
Control Switch	2	1
Gas	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3
Weight (kg)	29	18.7
Dim (LxWxH) (cm)	66x50x46	53x65x45

AT-12LX2

AT-17L

Capacity (l)	12+12
Temperature (°C)	160-220
Control Switch	2
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	29
Dim (LxWxH) (cm)	66x50x46

Capacity (l)	17
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	18.7
Dim (LxWxH) (cm)	53x65x45



Capacity (l)	40	60	80
Temperature (°C)	160-220	160-220	160-220
Control Switch	1	1	1
Gas	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3
Weight (kg)	38	71	96.4
Dim (LxWxH) (cm)	55x60x97	85x60x97	105x60x97

MPT-23CJB

MPT-36JP

MPT-46JP

Capacity (l)	40
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	38
Dim (LxWxH) (cm)	55x60x97

Capacity (l)	60
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	71
Dim (LxWxH) (cm)	85x60x97

Capacity (l)	80
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	96.4
Dim (LxWxH) (cm)	105x60x97

Electric Fryer



	EF-81	EF-82	WEF-171	WEF-172
Power (kW/V/Hz)	3.0/230/50	3.0+3.0/230/50	3.0/230/50	3.0+3.0/230/50
Capacity (l)	10	10+10	17	17+17
Temperature (°C)	60-200	60-200	60-200	60-200
Timer (min)	-	-	0-60	0-60
Control Switch	1	2	1	2
Weight (kg)	8	9.2	10	19
Dim (LxWxH) (cm)	28x44x32	57x44x33	30x52x37	61x52x37

	AT-17LEA
Power (kW/V/Hz)	4.5/230/50
Capacity (l)	17
Temperature (°C)	60-250
Control Switch	1
Weight (kg)	18.7
Dim (LxWxH) (cm)	50x65x45



Induction Cooker



	FIC-350H4F	FIW-350W4F
Power (kW/V/Hz)	3.5/230/50	3.5/230/50
Temperature (°C)	60~240	60~240
Controller	Touch Control	Touch Control
Timer (minutes)	0~180	0~180
Weight (kg)	6.2	6.5
Dim (LxWxH) (cm)	34x43x12	34x43x12



Noodle Cooker (Electric)

	MP-4H	MP-6H
Power (kW/V/Hz)	4.0/230/50	6.0/230/50
Control Switch	2	3
Head	4	6
Tank Capacity (l)	15	15
Temperature (°C)	30~110	30~110
Weight (kg)	13	17
Dim (LxWxH) (cm)	42.5x60x39	60x60x39



Noodle Cooker (Gas)

	MP-6QHX
Control Switch	3
Head	6
Tank Capacity (l)	15
Gas	LPG
Gas Pressure (kpa)	2.8
Weight (kg)	32
Dim (LxWxH) (cm)	60x69x93



Open Burner

	EHP-4S	EHP-6S
Burner Qty	4	6
Oven Rack	-	-
Gas	LPG	LPG
Gas Pressure (kpa)	2.8	2.8
Weight (kg)	70	100
Dim (LxWxH) (cm)	60x69x24+10/65	90x69x24+10/65



Open Burner with Oven

	RGR24	RGR36
Burner Qty	4	6
Oven Rack	2	6
Gas	LPG	LPG
Gas Pressure (kpa)	2.8	2.8
Weight (kg)	132	167
Dim (LxWxH) (cm)	61x83x152	92x83x152



Barbecue Oven / Environmental Roaster



	VSK-702	ET-K22	ET-K23	ET-K222	ET-K233
Control Switch	2	4	6	4	6
Gas	LPG	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8	2.8	2.8	2.8	2.8
Weight (kg)	27.5	24	27	11	14
Dim (LxWxH) (cm)	107x40x25	58x40x18	80x40x18	58x40x18	80x40x18

Salamander



	EB-600
Power (kW/V/Hz)	4.0/230/50
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	49
Dim (LxWxH) (cm)	60x45x50



Radiant Broiler

	ECB24S	ECB36S
Control Switch	2	3
Gas	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3
Weight (kg)	54	74
Dim (LxWxH) (cm)	76x78x29+10/65	90x64x29+10/65

Gas Griddle



	TGG-720
Control Switch	2
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	43
Dim (LxWxH) (cm)	73x57x57



	EGG36S
Control Switch	3
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	80
Dim (LxWxH) (cm)	90x64x29+10/65

BAR & SNACK EQUIPMENT



Food Display Warmer (Wet)

	MME-500H
Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-110
Type	Wet
Rack (pcs)	5
Weight (kg)	24
Dim (LxWxH) (cm)	38x40x75



Food Display Warmer (Dry)



	FWS-2P	FWS-3P	FWS-601
Power (kW/V/Hz)	0.8/230/50	1.2/230/50	1.2/230/50
Temperature (°C)	30-85	30-85	30-85
Type	Dry	Dry	Dry
Rack (pcs)	2	2	3
Weight (kg)	21	29	30
Dim (LxWxH) (cm)	66x46x60	95x46x60	66x49x64.5

	FW-23S	FW-24S
Power (kW/V/Hz)	1.0/230/50	1.0/230/50
Temperature (°C)	50	50
Type	Dry	Dry
Rack (pcs)	2	2
Weight (kg)	100	130
Dim (LxWxH) (cm)	90x68x121	120x68x121



	BS-3V	BS-6V
Power (kW/V/Hz)	1.5/230/50	1.5/230/50
Temperature (°C)	0-110	0-110
GN Pan (pcs)	3	6
GN Pan (Size)	1/3	1/3
Weight (kg)	10	19
Dim (LxWxH) (cm)	58x45x24	71x66x29

Bain Marie



Egg Boiler



FEB-50

Power (kW/V/Hz)	0.8/230/50
Capacity (l)	9
Productivity (pcs)	50
Weight (kg)	4.3
Dim (LxWxH) (cm)	19x40x29

Conveyor Toaster



TT-300

Power (kW/V/Hz)	1.94/230/50
Productivity (slices/hr)	300-350
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	16
Dim (LxWxH) (cm)	42x37x39

Hamburger Machine



HF-100 HF-130

Plate Size (cm)	Ø10	Ø13
Weight (kg)	5.2	5.5
Dim (LxWxH) (cm)	29x21x27	29x21x27

Popcorn Machine



EB-08

Power (kW/V/Hz)	1.3/230/50
Weight (kg)	20
Dim (LxWxH) (cm)	52x38x67

Hot Dog Roller



RG-9C

Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-250
Control Switch	2
Roller (pc)	9
Weight (kg)	14
Dim (LxWxH) (cm)	58x39x41

Waffle Baker



UWB-2

Power (kW/V/Hz)	1+1/230/50
Temperature (°C)	50-300
Blade (cm)	Ø17.8
Weight (kg)	17
Dim (LxWxH) (cm)	52x38x67

Soup Kettle

	SB-6000
Power (kW/V/Hz)	0.4/230/50
Capacity (l)	10
Temperature (°C)	35-95
Weight (kg)	4.8
Dim (LxWxH) (cm)	Ø34x39



Water Boiler

	WB-30	WB-40
Power (kW/V/Hz)	3.0/230/50	3.0/230/50
Capacity (l)	30	40
Temperature (°C)	30-110	30-110
Cup	125	170
Weight (kg)	4.65	5.2
Dim (LxWxH) (cm)	Ø39x42	Ø44x55



Cup Sealer

	BF05	QF08
Power (kW/V/Hz)	0.35/230/50	0.4/230/50
Type	Manual	Auto
Productivity (cups/h)	300	400
Cup Size (cm)	Ø7.5/9.5	Ø7.5/9.5
Weight (kg)	13	26
Dim (LxWxH) (cm)	29x30x51	34x38x59



Gas Steamer

	GSK-1
Layer	4
Head Load (MJ/h)	67.8
Gas Consumption (kg/h)	1.4
Gas Pressure (kpa)	2.8
Weight (kg)	27.5
Dim (LxWxH) (cm)	66x72x88



	GRS-6	GRS-12	GRS-24
Layer/Door	6 / 1	12 / 1	24 / 2
Steaming Capacity (kg/min)			
- Rice	24/40	48/55	96/55
- Flour	18/38	36/38	72/38
- Steak	30/6	60/6	120/6
- Fish	30/7	60/7	120/7
- Chicken	30/17	60/17	120/17
Head Load (MJ/h)	36.9	43.8	43.8+43.8
Gas Consumption (kg/h)	0.8	0.95	0.95+0.95
Gas Pressure (kpa)	2.8	2.8	2.8
Weight (kg)	80	110	203
Dim (LxWxH) (cm)	70x65x113	70x65x164	140x65x164

Electric Steamer

	BD-12	BD-24
Layer/Door	12 / 1	24 / 2
Steaming Capacity (kg/min)		
- Rice	48/55	96/55
- Flour	36/42	72/42
- Steak	60/8	120/8
- Fish	60/10	120/10
- Chicken	60/20	120/20
Power (kW/V/Hz)	12/415/50	24/415/50
Weight (kg)	83	150
Dim (LxWxH) (cm)	78x70x166	149x70x166



Vertical Broiler / Shawarma Broiler



	RG-2	NYXD-306	YXD-206C
Power (kW/V/Hz)	0.2/230/50	0.155/230/50	7.3/230/50
Type	Gas	Gas	Electric
Capacity (kg)	35	-	-
Capacity (birds)	-	12	12
Weight (kg)	31	73.5	89
Dim (LxWxH) (cm)	53x61x95	67x62x150	67x62x150



Stir-Fry Stove



Burner
Burner Qty
Gas
Weight (kg)
Dim (LxWxH) (cm)

	FSS-1	FSS-2	FSS-3
Burner	Cast Iron Burner	Cast Iron Burner	Cast Iron Burner
Burner Qty	1	2	3
Gas	HPG	HPG	HPG
Weight (kg)	15.8	27.6	41.3
Dim (LxWxH) (cm)	58x66x70+38	113x66x70+38	178x66x70+38

Multipurpose Cooker

Power (kW/V/Hz)
Mixing Capacity (kg)
Weight (kg)
Dim (LxWxH) (cm)

FMC-15M
0.75/230/50
15
86
97x102x141



Cooking Mixer (made in Taiwan)

Power (kW/V/Hz)
Bowl Size (l)
Bowl Dim (LxWxH) (cm)
Mixing Capacity (kg)
Weight (kg)
Dim (LxWxH) (cm)

GF-180B/80	GF-180B/150	GF-180B/200
0.75/230/50	1.1/230/50	1.5/230/50
80	150	200
Ø71.5x32	Ø85x38	Ø91x42
60	120	160
200	230	260
100x100x160	115x115x170	120x123x175



Blender



Milk Shake Mixer

Container (l)

Power (kW/V/Hz)

Speed (rpm)

Weight (kg)

Dim (LxWxH) (cm)

FB-767

2

1.2/230/50

38,000

4.3

19x22x57

TM-800AQ

1.5

0.95/230/50

38,000

6.3

25x30x46

ER-K1

0.7

0.18/230/50

8,500

3

19x16x53

ER-K2

0.7+0.7

0.18+0.18/230/50

8,500

5.5

23x23x53

Dispenser

Power (kW/V/Hz)

Capacity (l)

Temperature (°C)

Weight (kg)

Dim (LxWxH) (cm)

LP12X2

0.35/230/50

2x12

8-10

30

49x47x74

LP12X3

0.37/230/50

3x12

8-10

38

67x48x76

LP18X2

0.54/230/50

2x18

8-10

33

50x39x73



Sugarcane Machine

Install with

Power (kW/V/Hz)

Petrol Engine (kW)

Capacity (kg/hr)

Roller Material

Weight (kg)

Dim (LxWxH) (cm)

SCM-SS

Engine

-

4

300

Stainless Steel

67

95x60x48

SCM-SS

Motor

0.75/230/50

-

300

Stainless Steel

67

95x60x48



COFFEE & JUICE MAKING MACHINE



Soyabean Grinder / Rice Grinder



(made in Taiwan)



(made in Taiwan)

	FDM-100	FDM-125	FDM-150	YH-G8	YH-G10	YH-G12
Power (kW/V/Hz)	0.75/230/50	1.1/230/50	2.2/230/50	1.1/230/50	1.5/230/50	2.2/230/50
Stone Size (cm)	Ø10	Ø12.5	Ø15	Ø8	Ø10	Ø12
Productivity (kg/h)	30	40	100	60	100	120
Weight (kg)	22	44	60	85	105	120
Dim (LxWxH) (cm)	33x33x75	40x40x77	41x44x90			

Soyabean Milk Machine

	ET-09	ET-10
Type	Gas	Electric
Power (kW/V/Hz)	1.1/230/50	10.1/230/50
Stone Size (cm)	10	10
Productivity (kg/h)	80	80
Weight (kg)	78	78
Dim (LxWxH) (cm)	80x50x110	80x50x110



Bean Curd Machine

	ET-DF01
Capacity (l)	12
Productivity (kg/h)	12
Weight (kg)	15
Dim (LxWxH) (cm)	55x55x109



Chili Grinder

	(made in Taiwan) MH-2000-5AC
Power (kW/V/Hz)	0.75/230/50
Stone Size (cm)	12
Productivity (kg/h)	30-70
Speed (rpm)	3,600
Weight (kg)	29
Dim (LxWxH) (cm)	50x28x110



Ice Shaving Machine



(made in Taiwan)

	PDO-Y	PDO-R	PDO-BW	TB220A
Power (kW/V/Hz)	0.3/230/50	0.3/230/50	0.3/230/50	0.18/230/50
Colour	Yellow	Red	Black & White	Red & Blue
Weight (kg)	16.5	16.5	16.5	42
Dim (LxWxH) (cm)	43x32x88	43x32x88	43x32x88	45x31x65

Ice Crusher



	SB100	BY-300B	SB114	F-169A
Power (kW/V/Hz)	0.18/230/50	0.28/230/50	0.2/230/50	0.25/230/50
Speed (rpm)	1,400	2000	1,400	320
Weight (kg)	8	6	9	
Dim (LxWxH) (cm)	45x27x31	41x21x30	41x25x43	42x30x45

Ice Maker



	F-B30FT	F-E90F	F-Q220F
Power (kW/V/Hz)	0.35/230/50	0.75/230/50	0.9/230/50
Tank Capacity (kg)	11	25	180
Productivity (kg/day)	30	90	220
Weight (kg)	21	46.5	97
Dim (LxWxH) (cm)	43x36x76	62x49.5x86	85x76x172

COOLING & ICE MAKING MACHINE



Meat Slicer



	SL-300B	IS-350
Type	Automatic	Automatic
Power (kW/V/Hz)	0.45/230/50	0.75/230/50
Thickness (cm)	0-1.5	0-1.5
Blade Size (inch)	12	14
Weight (kg)	68	223
Dim (LxWxH) (cm)	64x60x75	96x74x142



Type	Semi-Auto	Semi-Auto
Power (kW/V/Hz)	0.15/230/50	0.25/230/50
Thickness (cm)	0-1.2	0-1.2
Blade Size (inch)	10	12
Weight (kg)	14.3	24.3
Dim (LxWxH) (cm)	52x46x38	63x53x47

	MS250ST	MS300ST
Type	Semi-Auto	Semi-Auto
Power (kW/V/Hz)	0.15/230/50	0.25/230/50
Thickness (cm)	0-1.2	0-1.2
Blade Size (inch)	10	12
Weight (kg)	14.3	24.3
Dim (LxWxH) (cm)	52x46x38	63x53x47



	QRS-180
Power (kW/V/Hz)	1.5/230/50
Thickness (cm)	0.3/0.5/0.8/1.0
Blade Size (inch)	4
Weight (kg)	50
Dim (LxWxH) (cm)	30x38x76



	QX-2.5 / 3 / 5
Power (kW/V/Hz)	0.55/230/50
Thickness (cm)	0.25/0.3/0.5
Blade Size (inch)	-
Weight (kg)	33
Dim (LxWxH) (cm)	45x32x43



Meat Chopper



(made in Taiwan)

	MH-237	MH-337	TC-42A	TC-52A
Power (kW/V/Hz)	0.37/230/50	0.75/230/50	3.0/415/50	5.5/415/50
Productivity (kg/h)	30	90	600	1,200
Blade (cm)	0.5/0.6/0.9/1.6	0.5/0.6/0.9/1.6	0.6/0.8	0.6/0.8
Weight (kg)	25	31	125	250
Dim (LxWxH) (cm)	45x23x39	51x31x42	53x102x95	80x135x122



Chicken Cutter Machine



	CCM-CM	CCM-IM	CCM-JM
Power (kW/V/Hz)	0.75/230/50	0.75/415/50	0.37/230/50
Material	Stainless Steel	Stainless Steel	Stainless Steel
Blade Size (inch)	Ø9	Ø9	Ø12
Motor Type	China	Italy	Japan
Weight (kg)	39	31	44
Dim (LxWxH) (cm)	44x41x64	44x41x70	69x33x56



Power (kW/V/Hz)
Capacity (birds)
Blade Size (inch)
Weight (kg)
Dim (LxWxH) (cm)

Chicken Feather Machine

	CFM-22	CFM-24	CFM-26
Power (kW/V/Hz)	0.75/230/50	1.1/230/50	1.5/230/50
Capacity (birds)	6	10	15
Blade Size (inch)	Ø22	Ø24	Ø26
Weight (kg)	56	95	113
Dim (LxWxH) (cm)	68x65x98	73x71x98	78x76x105



Bone Saw Machine



	SL-210	JG-300A	JG-400A
Power (kW/V/Hz)	0.65/230/50	1.5/415/50	1.5/415/50
Speed (rpm)	1,420	960	720
Thickness (cm)	0.5-15.5	3-25	3-35
Saw Band (cm)	0.05x1.5x165	0.056x2x239	0.056x2x300
Blade Speed (meter/sec)	15	15	15
Belt Wheel (cm)	Ø21	Ø30	Ø40
Work Bench (cm)	55x38	71x66	89x90
Weight (kg)	41	110	151
Dim (LxWxH) (cm)	53x47x85	78x71x169	98x116x180

Meat Ball Machine



	RWJ
Power (kW/V/Hz)	0.75/230/50
Productivity (pcs/h)	16,800
Blade Size (cm)	1.7/2.1/2.4
Weight (kg)	120
Dim (LxWxH) (cm)	70x43x135

Fish Cake Mixer



	FSFCM-60
Power (kW/V/Hz)	1.5/230/50
Speed (rpm)	Adjustable
Bowl Size (cm)	60
Weight (kg)	125
Dim (LxWxH) (cm)	80x74x121



Universal Fritter



	QS-806	QS-810	TQ5A	QS-620A
Power (kW/V/Hz)	0.75/230/50	1.1/230/50	0.55/230/50	1.1/230/50
Speed (rpm)	1,400	1,400	80	300
Bowl Size (cm)	Ø25	Ø27	Ø38.5	Ø60
Capacity (l)	6	10	5	20
Weight (kg)	26	30	57	126
Dim (LxWxH) (cm)	37x35x50	42.5x36.5x56	53x42x44	78x71x94

Blender (made in Taiwan)



	FB-8L	FB-20L	FB-50L
Power (kW/V/Hz)	0.75/230/50	1.5/230/50	5.5/415/50
Speed (rpm)	3,500	3,500	2,910
Capacity (l)	8	20	50
Weight (kg)	25	60	110
Dim (LxWxH) (cm)	29x27x74	48x46x108	78x68x128



Vegetable Cutter



(made in Taiwan)

BC-01



VC65MS



(made in Taiwan)

EC-501



(made in Taiwan)

KS-805

Power (kW/V/Hz)

0.18/230/50

0.75/230/50

0.37/230/50

0.3/230/50

Cutting Thickness:-

- Dicing (cm)

-

0.8

-

-

- Shredding (cm)

-

0.3/0.5/0.7

0.15

-

- Slicing (cm)

Adjustable

0.2/0.4

0.15

0.1~3

Weight (kg)

20

26

45

74

Dim (LxWxH) (cm)

50x33x52

66x33x54

51x45x60

77x47x129

Fish Bone Divider



GH-T03

Power (kW/V/Hz)

2.2/230/50

Size (inch)

Ø8

Productivity (kg/h)

500

Weight (kg)

245

Dim (LxWxH) (cm)

95x85x92

Sausage Filler



SF-260

Power (kW/V/Hz)

1.1/230/50

Productivity (kg/h)

400

Bowl (cm)

Ø26

Weight (kg)

150

Dim (LxWxH) (cm)

67x49x124

Dewatering Machine



Power (kW/V/Hz)

Capacity (kg)

Weight (kg)

Dim (LxWxH) (cm)

MH-819A

0.37/230/50

6

27

50x40x83

Power (kW/V/Hz)

Productivity (kg/h)

Fineness (mesh)

Weight (kg)

Dim (LxWxH) (cm)

FVF-16

0.37/230/50

75

40

51

60x43x89

Vibro Separator Filter



Power (kW/V/Hz)

Productivity (kg/h)

Fineness (mesh)

Weight (kg)

Dim (LxWxH) (cm)

WND-15

1.0/230/50

10-20

60-180

10

27x20x38

WND-25

1.8/230/50

15-25

60-180

25

31x25x55

Grinding Machine



Power (kW/V/Hz)

Productivity (pcs/h)

Speed (rpm)

Thickness (cm)

Weight (kg)

Dim (LxWxH) (cm)

SY-198

0.3/230/50

48,000

200

0-0.3

15

30x18x23

Medicine Machine



KITCHEN MACHINE



Upright Refrigerator



	CSUF5A2	CSUF10A4	CSUF15A6	CSUF5B2	CSUF10B4	CSUF15B6
Type	Freezer	Freezer	Freezer	Chiller	Chiller	Chiller
Door	2	4	6	2	4	6
Shelf (pc)	3	6	9	3	6	9
Controller	Touch Screen Digital			Touch Screen Digital		
Power (kW/V/Hz)	0.47/230/50	0.621/230/50	0.708/230/50	0.297/230/50	0.38/230/50	0.587/230/50
Volume (l)	380	840	1300	380	840	1300
Refrigerant	R404a	R404a	R404a	R134a	R134a	R134a
Refrigeration	Fan cooling			Fan cooling		
Shelf Size (cm)	48x53	53x53	53x53 & 53x61	48x53	53x53	53x53 & 53x61
Temperature (°C)	0 ~ -22	0 ~ -22	0 ~ -22	+10 ~ 0	+10 ~ 0	+10 ~ 0
Weight (kg)	97	147	228	95	145	226
Dim (LxWxH) (cm)	62x76x200	122x76x200	184x76x200	62x76x200	122x76x200	184x76x200

	SUF12A2	SUF6B2	SUF12B2
Type	Freezer	Chiller	Chiller
Door	2	2	2
Shelf (pc)	8	4	8
Controller	Touch Screen Digital		
Power (kW/V/Hz)	0.59/230/50	0.357/230/50	0.504/230/50
Volume (l)	1200	600	1200
Refrigerant	R404a	R134a	R134a
Refrigeration	Fan cooling		
Shelf Size (cm)	52.8x65	52.8x65	52.8x65
Temperature (°C)	0 ~ -22	+10 ~ 0	+10 ~ 0
Weight (kg)	196	123	184
Dim (LxWxH) (cm)	143x82x200	74x82x200	143x82x200



Upright Combination Refrigerator



Door	
Shelf (pc)	
Controller	
Power (kW/V/Hz)	
Volume (l)	
Refrigerant	
Refrigeration	
Shelf Size (cm)	
Temperature (°C)	
Weight (kg)	
Dim (LxWxH) (cm)	

	CSUF10A2B2	CSUF15A2B4
Door	4	6
Shelf (pc)	6	9
Controller	Touch Screen Digital	Touch Screen Digital
Power (kW/V/Hz)	0.47 & 0.297/230/50	0.47 & 0.38/230/50
Volume (l)	768	1237
Refrigerant	R404a & R134a	R404a & R134a
Refrigeration	Fan cooling	Fan cooling
Shelf Size (cm)	48x53	53x53 / 48x53
Temperature (°C)	0 ~ -22 / +10 ~ 0	0 ~ -22 / +10 ~ 0
Weight (kg)	140	215
Dim (LxWxH) (cm)	122x76x200	184x76x200



Door	
Shelf (pc)	
Controller	
Power (kW/V/Hz)	
Volume (l)	
Refrigerant	
Refrigeration	
Shelf Size (cm)	
Temperature (°C)	
Weight (kg)	
Dim (LxWxH) (cm)	

	SUS5A1B1G	MUS10A2B2G
Door	2	4
Shelf (pc)	3	6
Controller	Touch Screen Digital	Touch Screen Digital
Power (kW/V/Hz)	0.504/230/50	0.47 & 0.297/230/50
Volume (l)	260 / 260	530 / 350
Refrigerant	R134a	R404a & R134a
Refrigeration	Static cooling	Static cooling
Shelf Size (cm)	48x53	53x53
Temperature (°C)	0 ~ -15 / +10 ~ 0	0 ~ -15 / +10 ~ 0
Weight (kg)	99	164
Dim (LxWxH) (cm)	62x76x200	122x76x200



Under Counter Refrigerator (Touch Screen)



	K-DWF12M1-76	K-DWF15M2-76	K-DWF18M3-76
(With Backsplash)	K-DWF12M1-76B	K-DWF15M2-76B	K-DWF18M3-76B
Type	Freezer	Freezer	Freezer
Door	1	2	3
Shelf (pc)	1	2	3
Controller	Touch Screen Digital		
Power (kW/V/Hz)	0.297/230/50	0.297/230/50	0.297/230/50
Volume (l)	217	314	410
Refrigerant	R404a	R404a	R404a
Refrigeration	Fan cooling		
Shelf Size (cm)	65x52	47x52	39.5x52
Temperature (°C)	0 ~ -18	0 ~ -18	0 ~ -18
Weight (kg)	90	98	120
Dim (LxWxH) (cm)	120x76x85	150x76x85	180x76x85

	DWF12M1-76	DWF15M2-76	DWF18M3-76
(With Backsplash)	DWF12M1-76B	DWF15M2-76B	DWF18M3-76B
Type	Chiller	Chiller	Chiller
Door	1	2	3
Shelf (pc)	1	2	3
Controller	Touch Screen Digital		
Power (kW/V/Hz)	0.41/230/50	0.468/230/50	0.631/230/50
Volume (l)	217	314	410
Refrigerant	R134a	R134a	R134a
Refrigeration	Fan cooling		
Shelf Size (cm)	65x52	47x52	39.5x52
Temperature (°C)	+10 ~ 0	+10 ~ 0 °C	+10 ~ 0
Weight (kg)	87	95	117
Dim (LxWxH) (cm)	120x76x85	150x76x85	180x76x85



Under Counter Refrigerator (Digital)



	K-FWF1200-2	K-FWF1500-2	K-FWF1800-2	FWF1200-2	FWF1500-2	FWF1800-2
Type	Freezer	Freezer	Freezer	Chiller	Chiller	Chiller
Door	2	2	2	2	2	2
Shelf (pc)	2	2	2	2	2	2
Controller	Dixell			Dixell		
Power (kW/V/Hz)	0.213/230/50	0.213/230/50	0.213/230/50	0.238/230/50	0.238/230/50	0.238/230/50
Volume (l)	260	360	457	260	360	457
Refrigerant	R404a	R404a	R404a	R134a	R134a	R134a
Refrigeration	Fan Cooling			Fan Cooling		
Shelf Size (cm)	38x52	53x52	68x52	38x52	53x52	68x52
Temperature (°C)	0 ~ -18	0 ~ -18	0 ~ -18	0 ~ 10	0 ~ 10	0 ~ 10
Weight (kg)	76	89	100	76	87	97
Dim (LxWxH) (cm)	120x76x85	150x76x85	180x76x85	120x76x85	150x76x85	180x76x85

Under Counter Combination Refrigerator



	DWF15A1B1	DWF18A1B1
Door	2	2
Shelf (pc)	2	2
Controller	Dixell	Dixell
Power (kW/V/Hz)	0.41 & 0.297/230/50	0.41 & 0.297/230/50
Volume (l)	282	370
Refrigerant	R404a & R134a	R404a & R134a
Refrigeration	Fan cooling	Fan cooling
Shelf Size (cm)	46.5x47	61.5x47
Temperature (°C)	0 ~ -18 / +10 ~ 0	0 ~ -18 / +10 ~ 0
Weight (kg)	102	126
Dim (LxWxH) (cm)	150x76x85	180x76x85

Drawer Refrigerator



	AWF15D6-76
Type	Chiller
Door	6
Controller	Touch Screen Digital
Power (kW/V/Hz)	0.238/230/50
Volume (l)	322
Refrigerant	R134a
Refrigeration	Fan cooling
Temperature (°C)	+10 ~ 0
Weight (kg)	214
Dim (LxWxH) (cm)	150x76x85



Display Refrigerator



Type	Freezer
Door	1
Shelf (pc)	3
Controller	Touch Screen Digital
Power (kW/V/Hz)	0.47/230/50
Volume (l)	380
Refrigerant	R404a
Refrigeration	Fan Cooling
Shelf Size (cm)	48x53
Temperature (°C)	-18 ~ -25
Weight (kg)	116
Dim (LxWxH) (cm)	62x76x200

	CSUG5A1	SL-P380WA
Type	Freezer	Chiller
Door	1	1
Shelf (pc)	3	4
Controller	Touch Screen Digital	Micro-Computer Digital
Power (kW/V/Hz)	0.47/230/50	0.237/230/50
Volume (l)	380	410
Refrigerant	R404a	R290
Refrigeration	Fan Cooling	Fan Cooling
Shelf Size (cm)	48x53	43.5x50.7
Temperature (°C)	-18 ~ -25	+10 ~ 0
Weight (kg)	116	74
Dim (LxWxH) (cm)	62x76x200	63x61x198



Type	Chiller
Door	2
Shelf (pc)	8
Controller	Micro-Computer Digital
Power (kW/V/Hz)	0.55/230/50
Volume (l)	800
Refrigerant	R134a
Refrigeration	Fan Cooling
Shelf Size (cm)	50x37.8
Temperature (°C)	+10 ~ 0
Weight (kg)	113
Dim (LxWxH) (cm)	112x61x197

	FDC-P800WE-HA	FDC-P1000WE-HA	FDC-P1500WE-HA	FDC-P2000WE-HA
Type	Chiller	Chiller	Chiller	Chiller
Door	2	2	3	4
Shelf (pc)	8	8	12	16
Controller	Micro-Computer Digital	Micro-Computer Digital	Micro-Computer Digital	Micro-Computer Digital
Power (kW/V/Hz)	0.55/230/50	0.48/230/50	0.4+0.4/230/50	0.48+0.48/230/50
Volume (l)	800	960	1480	2000
Refrigerant	R134a	R290	R290	R290
Refrigeration	Fan Cooling	Fan Cooling	Fan Cooling	Fan Cooling
Shelf Size (cm)	50x37.8	55.15x51.7	55.15x51.7(s)/51.7x61.55(m)	55.15x51.7
Temperature (°C)	+10 ~ 0	+10 ~ 0	+10 ~ 0	+10 ~ 0
Weight (kg)	113	165	254	325
Dim (LxWxH) (cm)	112x61x197	131x72x205	188x72x205	256x72x205

Island Freezer



	FI-1800	FI-2100	FI-2500
Type	Main	Side	Side
Door	2	2	2
Controller	Digital		
Power (kW/V/Hz)	0.45/230/50	0.533/230/50	0.566/230/50
Volume (l)	372	527	654
Refrigerant	R290	R290	R290
Refrigeration	Static cooling		
Defrost	Auto	Auto	Auto
Temperature (°C)	-18 ~ -22	-18 ~ -22	-18 ~ -22
Weight (kg)	120	135	153
Dim (LxWxH) (cm)	185x85x80	210x85x87	250x85x87

Chest Freezer



	BD-530D
Type	Main
Door	2
Controller	Mechanical
Power (kW/V/Hz)	0.32/230/50
Volume (l)	530
Refrigerant	R134a
Refrigeration	Static cooling
Basket (pc)	1
Temperature (°C)	-15 ~ -30
Weight (kg)	69
Dim (LxWxH) (cm)	161x76x90

Display Cooler

	FT78DC	FT98DC
Door	1	1
Shelf (pc)	3	4
Power (kW/V/Hz)	0.2/230/50	0.2/230/50
Volume (l)	78	98
Refrigerant	R134a	R134a
Temperature (°C)	+2 ~ 8	+2 ~ 8
Weight (kg)	35	39
Dim (LxWxH) (cm)	45x40x97	45x40x112



Cake Showcase - Table Top

	FT120SC	FT160SC
Door	Rear Door	Rear Door
Shelf (pc)	2	2
Power (kW/V/Hz)	0.22/230/50	0.22/230/50
Volume (l)	120	160
Refrigerant	R134a	R134a
Temperature (°C)	+2 ~ 8	+2 ~ 8
Weight (kg)	57	66
Dim (LxWxH) (cm)	71x57x67	89x57x67



REFRIGERATOR



Cake Showcase - Old Japanese-style



	FS23SC	FS24SC	FS25SC	FS26SC	FS28SC
Door	Rear Door	Rear Door	Rear Door	Rear Door	Rear Door
Shelf (pc)	2	2	2	2	2
Power (kW/V/Hz)	0.765/230/50	0.855/230/50	1.042/230/50	1.3/230/50	1.72/230/50
Refrigerant	R134a	R134a	R134a	R134a	R134a
Temperature (°C)	+3 ~ 10	+3 ~ 10	+3 ~ 10	+3 ~ 10	+3 ~ 10
Weight (kg)	126	156	186	216	276
Dim (LxWxH) (cm)	90x68x121	120x68x121	150x68x121	180x68x121	240x68x121

	FS33SC	FS34SC	FS35SC	FS36SC
Door	Rear Door	Rear Door	Rear Door	Rear Door
Shelf (pc)	3	3	3	3
Power (kW/V/Hz)	0.802/230/50	0.998/230/50	1.282/230/50	1.36/230/50
Refrigerant	R134a	R134a	R134a	R134a
Temperature (°C)	+3 ~ 10	+3 ~ 10	+3 ~ 10	+3 ~ 10
Weight (kg)	166	206	246	286
Dim (LxWxH) (cm)	90x67x150	120x67x150	150x67x150	180x67x150



Cake Showcase - Curved



	FC23SC	FC24SC	FC25SC	FC26SC
Door	Rear Door	Rear Door	Rear Door	Rear Door
Shelf (pc)	2	2	2	2
Power (kW/V/Hz)	0.785/230/50	0.785/230/50	0.858/230/50	1.018/230/50
Refrigerant	R134a	R134a	R134a	R134a
Temperature (°C)	+3 ~ 10	+3 ~ 10	+3 ~ 10	+3 ~ 10
Weight (kg)	130	146	176	206
Dim (LxWxH) (cm)	90x67x121	120x67x121	150x67x121	180x67x121

	FC34SC	FC35SC	FC36SC
Door	Rear Door	Rear Door	Rear Door
Shelf (pc)	3	3	3
Power (kW/V/Hz)	0.814/230/50	1.018/230/50	1.258/230/50
Refrigerant	R134a	R134a	R134a
Temperature (°C)	+3 ~ 10	+3 ~ 10	+3 ~ 10
Weight (kg)	176	216	254
Dim (LxWxH) (cm)	120x68x137	150x68x137	180x68x137



Coconut Grinder



	BCM	SCM	FCG-1	AECS 630
Power (kW/V/Hz)	0.18/230/50	0.18/230/50	0.75/230/50	0.75/230/50
Speed (rpm)	1,400	1,400	3,000	1,500
Productivity (pcs/h)	50	50	150	200
Weight (kg)	5.7	5.8	34	55
Dim (LxWxH) (cm)	39x32x60	44x47x87	47x37x125	47x65x90

Milk Extractor



	L-CME15	L-CME20	L-CME66	L-CME668
Power (kW/V/Hz)	1.1/230/50	1.5/230/50	2.2/230/50	2.2/230(415)/50
Productivity (kg/h)	30	50	100	140
Weight (kg)	130	190	230	310
Dim (LxWxH) (cm)	102x58x107	124x58x114	140x61x122	150x76x137



Impulse Sealer



	PFS-200	PFS-300	PFS-450
Power (kW/V/Hz)	0.3/230/50	0.4/230/50	1.05/230/50
Type	Manual	Manual	Foot
Sealing Length (cm)	20	30	45
Sealing Width (cm)	0.2	0.2	0.2
Thickness (cm)	0.001-0.08	0.001-0.08	0.00-0.09
Weight (kg)	2.4	3.75	21
Dim (LxWxH) (cm)	33x8.5x15	45x9x16	80x55x25

Vacuum Packager



	DZQ600/2SA	DZQ400N	DZQ400TN
Power (kW/V/Hz)	2.4/230/50	0.9/230/50	0.9/230/50
Type	Standing	Standing	Table Top
Productivity (m ³ /h)	40	20	20
Sealing Bar (pcs)	4	2	2
Sealing Bar Size (cm)	60x1	40x1	40x1
Chamber (cm)	67x54x5	44x42x8	44x42x8
Weight (kg)	300	80	76
Dim (LxWxH) (cm)	146x70x94	56x50x105	56x50x46

	HW-450
Power (kW/V/Hz)	0.3/230/50
Roller Width (cm)	45.2
Head Cut Length (cm)	3.2
Head Shrinking Plate (cm)	38.5x12.3
Weight (kg)	6.5
Dim (LxWxH) (cm)	54x68x20

Wrapping Packager



Beverage Cart / Dinning Cart



	FRC-2	FQRD-L2	FGS-L3	FRD-L2	FRD-L3
Layer	2	2	3	2	3
Tray Thickness (cm)	0.05	0.05	0.05	0.05	0.05
Wheel	PVC	PVC with stopper	PVC with stopper	PVC with stopper	
Weight (kg)	5.7	13.8	9.7	12	15.6
Dim (LxWxH) (cm)	39x32x60	95x50x95	95x50x95	95x50x95	95x50x95

Folding Trolley



	FC9050	FT9060
Layer	3	1
Tray Thickness (cm)	0.05	-
Wheel	PVC with stopper	PVC with stopper
Weight (kg)	15.6	15.5
Dim (LxWxH) (cm)	95x50x95	90x60x90

Cooling Trolley



	FR-15A	FR-18AC
Layer	15	18
Gap (cm)	7.8	9.5
Wheel	PVC with stopper	PVC with stopper
Weight (kg)	20.5	31
Dim (LxWxH) (cm)	47x62x174	48x62x179



Dishes Collecting Cart



FTC-5A

Layer	3
Gap (cm)	22
Wheel	PVC with stopper
Weight (kg)	13
Dim (LxWxH) (cm)	90x46x95

Ice Bucket



FIB-450

FIB-600

Tank Size (l)	70	90
Weight (kg)	20.5	22.7
Dim (LxWxH) (cm)	45x75x84	60x75x84

Water Boiler with Cup Holder



Type	Manual
Tank Size (l)	60
Weight (kg)	20
Dim (LxWxH) (cm)	60x40x84

FCWB-400

FCWB-400A

Type	Manual	Auto
Tank Size (l)	60	60
Weight (kg)	20	26.6
Dim (LxWxH) (cm)	60x40x84	60x40x84



Burner Stand



FBS-800

Undershelf Layer	-
Weight (kg)	9.6
Dim (LxWxH) (cm)	82x49x66+25



FBS-1100

Undershelf Layer	2
Weight (kg)	14.4
Dim (LxWxH) (cm)	110x49x76+25

Soup Pot Stand



FSPS02

Undershelf Layer	-
Weight (kg)	9.2
Dim (LxWxH) (cm)	51x51x80



Working Table



	WT600-1	WT900-1	WT1100-1	WT1200-1	WT1500-1	WT1800-1	WT2100-1
Undershelf Layer	1	1	1	1	1	1	1
Weight (kg)	12	18	19	20	24	28	32
Dim (LxWxH) (cm)	60x60x85	90x60x85	110x60x85	120x60x85	150x60x85	180x60x85	210x60x85

	WT600-2	WT900-2	WT1100-2	WT1200-2	WT1500-2	WT1800-2	WT2100-2
Undershelf Layer	2	2	2	2	2	2	2
Weight (kg)	13	19	21	22	27	31	35
Dim (LxWxH) (cm)	60x60x85	90x60x85	110x60x85	120x60x85	150x60x85	180x60x85	210x60x85

	FWT900-1	FWT1100-1	FWT1200-1	FWT1500-1	FWT1800-1	FWT2100-1
Undershelf Layer	1	1	1	1	1	1
Weight (kg)	22	24	25	30	35	40
Dim (LxWxH) (cm)	90x75x85	110x76x85	120x75x85	150x75x85	180x75x85	210x75x85

	FWT900-2	FWT1100-2	FWT1200-2	FWT1500-2	FWT1800-2	FWT2100-2
Undershelf Layer	2	2	2	2	2	2
Weight (kg)	24	26	27	33	38	43
Dim (LxWxH) (cm)	90x75x85	110x76x85	120x75x85	150x75x85	180x75x85	210x75x85

Folding Table



	FFT1200	FFT1500	FT-90R	FT-120R	FRT-90	FRT-110
Weight (kg)	14	16	11.9	13	8.4	10.6
Dim (LxWxH) (cm)	120x69x80	150x69x80	90x90x75	120x70x75	90x75	112x75

Rack



Layer

Weight (kg)

Dim (LxWxH) (cm)

FSR900-4

FSR1200-4

FSR1500-4

FSR1800-4

FSR2100-4

4

4

4

4

4

18.4

21.5

24

28.6

36

90x48x155

120x48x155

150x48x155

180x48x155

210x48x155

FSR900-4WH

FSR1200-4WH

FSR1500-4WH

FSR1800-4WH

FSR2100-4WH

4

4

4

4

4

Weight (kg)

17.8

21.5

24

28.6

34.5

Dim (LxWxH) (cm)

90x48x155

120x48x155

150x48x155

180x48x155

210x48x155

Upper Shelf

Layer

Weight (kg)

Dim (LxWxH) (cm)

FDF-4

FDF-5

FDF-6

2

2

2

7.8

9

10.6

120x28x60

150x28x60

180x28x60



Worktable Sliding Door Cabinet

Door

Weight (kg)

Dim (LxWxH) (cm)

FSW-4

FSW-5

FSW-6

2

2

2

35.6

54

63

120x60x85

150x80x85

180x80x85



Mee Counter



Drawer

Weight (kg)

Dim (LxWxH) (cm)

FMC-110

FTC-110

1

1

32.5

33.4

106x60x85+90

106x67x85+90

Tea Counter



S/STEEL KITCHEN EQUIPMENT



Sink Table



	FST600-1	FST1200-1LT	FST1200-1RT	FST1200-2
Sink	1	1 (Right)	1 (Left)	2
Weight (kg)	11	12.5	12.5	14.5
Dim (LxWxH) (cm)	60x60x85	120x60x85	120x60x85	120x60x85

	FST900-1	FST1400-1LT	FST1400-1RT	FST1400-2
Sink	1	1 (Right)	1 (Left)	2
Weight (kg)	10.4	13.1	13.1	15.9
Dim (LxWxH) (cm)	70x70x85	120x70x85	120x70x85	120x70x85



	FST1500-2LT	FST1500-2RT	FST1500-2MT	FST1800-2LT	FST1800-2RT	FST1800-2MT
Sink	2 (Right)	2 (Left)	2 (Left+Right)	2 (Right)	2 (Left)	2 (Left+Right)
Weight (kg)	15.4	15.4	15.4	17.4	17.4	17.4
Dim (LxWxH) (cm)	150x60x85	150x60x85	150x60x85	180x60x85	180x60x85	180x60x85

	FST1700-2LT	FST1700-2RT	FST1700-2MT	FST2000-2LT	FST2000-2RT	FST2000-2MT
Sink	2 (Right)	2 (Left)	2 (Left+Right)	2 (Right)	2 (Left)	2 (Left+Right)
Weight (kg)	17	17	17	18.9	18.9	18.9
Dim (LxWxH) (cm)	150x70x85	150x70x85	150x70x85	180x70x85	180x70x85	180x70x85



	FST2000-3
Sink	3
Weight (kg)	20.5
Dim (LxWxH) (cm)	180x70x85

Grease Trap



	FGT-50
Weight (kg)	4.9
Dim (LxWxH) (cm)	47x30x32

FRESH[®] Food Processing Machine 2025
