

UM 12VST2

120mm Mixer



Features

- Easy-to-operate soft grip handle
- Optimally-positioned variable speed dial
- Steel frame integrated with the handle
- 0-voltage restart protection and overload protection

Specifications

Capacity: Max Stirrer Dia.	120mm
Power Input	1,200W
Tool Spindle Thread	M14
No Load Speed : High	300 - 650/min
: Low	150 - 300/min
Overall Length	336mm
Weight*	5.4kg
Standard Accessories	Stirrer



*Weight according to EPTA-Procedure 01/2014 (excl. the cord and stirrer).

333631

UM 16VST2

160mm Mixer



Features

- Easy-to-operate soft grip handle
- Optimally-positioned variable speed dial
- Steel frame integrated with the handle
- 0-voltage restart protection and overload protection

Specifications

Capacity: Max Stirrer Dia.	160mm
Power Input	1,600W
Tool Spindle Thread	M14
No Load Speed : High	300 - 650/min
: Low	150 - 300/min
Overall Length	338mm
Weight*	5.7kg
Standard Accessories	Stirrer, Extension Bar

*Weight according to EPTA-Procedure 01/2014 (excl. the cord, extension bar and stirrer).

333631



UM 22VYST

220mm Mixer



Features

- More powerful motor*1
- Easy-to-operate soft grip handle
- Optimally-positioned variable speed dial
- Steel frame integrated with the handle
- 0-voltage restart protection and overload protection
- Double stirrers

Specifications

Capacity: Max Stirrer Dia.	220mm
Power Input	1,800W
Tool Spindle Thread	M27
No Load Speed : High	300 - 650/min
: Low	150 - 300/min
Overall Length	360mm
Weight*2	6.4kg
Standard Accessories	2 Stirrers



*1. Vs. the existing model UM16/12VST2.

*2. Weight according to EPTA-Procedure 01/2014 (excl. the cord and stirrers).

375072