

C1806DA

18V 165mm Circular Saw

- Optimal saw blade visibility from both sides guarantees high-precision cuts
- Equipped spindle lock for fast and easy blade change
- Very compact and lightweight for maximum flexibility
- Robust steel base plate for easy gliding on rough construction sites



Specifications	
Blade Diameter	165mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	57mm / 38mm
Battery voltage	18V
No load speed:	0-3800/min
Overall length	291mm
Weight	3.5kg with BSL1850C

C1806DAW2Z
Body only + saw blade + HSC4

C1806DB

18V Brushless 165mm Circular Saw

- Rotation speed change over function: Power mode / Silent mode
- 1,2 times more cutting speed 4,500rpm than the C18DBAL
- Integrated dust collect nozzle for high dust collection efficiency
- Easy to push handle for long & shallow cuts



Specifications	
Blade Diameter	165mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	66mm / 45mm
Bevel Capacity	-5° / 45°
No load speed:	4500/min
Deep Cut	YES
Brake	YES
Soft Start	YES
Constant Speed Control	YES
Dimensions (LxWxH)	285 x 188 x 263mm
Weight	3.3kg with BSL1850MA

C1806DBW2Z
Body only + saw blade + wrench + rip fence + HSC4

Compatible
BRUSHLESS

C1807DA

18V Brushless 190mm Circular Saw

- Fast stopping brake for high user safety
- Equipped spindle lock for fast and easy blade change
- Robust design and high power for fast cuts in harsh environments and various material such as wet wood
- High bevel capacity up to 55° for a wide range of applications



Specifications	
Blade Diameter	190mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	64.5mm / 49mm
Battery voltage	18V
No load speed:	Power Mode: 3800/min
	Silent Mode: 2000/min
Overall length	317mm
Weight	3.9kg with BSL1850

C1807DAW2Z
Body only + saw blade + wrench + rip fence + HSC4

Compatible
BRUSHLESS



C3605DYA

36V Brushless MultiVolt 125mm Dust Collection Circular Saw

- High efficiency brushless motor - long lifetime with reduced maintenance
- Fast cutting speed
- High load capacity
- Power/silent modes
- Kickback reduction system



Specifications	
Blade Diameter	125mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	47mm / 30mm
Battery voltage	36V
No load speed:	Power Mode: 5000/min Silent Mode: 2600/min
Dimensions	277 x 193 x 236mm
Weight	2,8kg

Compatible
BRUSHLESS

C3605DYAJ4Z
Body only + saw blade + HSC4

C3606DB

36V Brushless MultiVolt 165mm Circular Saw

- Equipped with innovative deep cut technology for higher cutting depth with standard saw blade
- High bevel capacity from -5° to 45° for a wide range of applications
- Optimal saw blade visibility from both sides guarantees high-precision cuts
- Very compact and lightweight for maximum flexibility
- Fast stopping electric brake and kickback protection for high user safety



Specifications	
Blade Diameter	165mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	66mm / 45mm
Bevel Capacity	-5° / 45°
No load speed:	5600/min
Deep Cut	YES
Brake	YES
Soft Start	YES
Constant Speed Control	YES
Dimensions (LxWxH)	285 x 188 x 265mm
Weight	3,4kg with BSL36A18

Compatible
BRUSHLESS

C3606DBW2Z
Body only + saw blade + wrench + rip fence + HSC4

C3606DPA

36V Brushless MultiVolt 165mm Plunge Saw

- Brushless Motor delivers longer runtimes, less maintenance and better power control
- Versatile application thanks to variable speed for different materials
- Easy to read scales for accurate angle and depth adjustment
- Accurate precision cutting when fitted to a guide rail



Compatible
BRUSHLESS



For guide rail accessories - see page 57

Specifications	
Blade Diameter	165mm
Bore Ø	20mm
Bevel Capacity	-1° to 46°
Max. Cut Depth 0°/45°	66mm / 43mm
Battery voltage	36V
No load speed:	2500 - 5200/min
Soft Start	YES
Overload Protection	YES
Overheat Protection	YES
Dimensions (LxWxH)	391 x 206 x 269mm
Weight	7,4kg

C3606DPAJVZ
2 x BSL36B18 5,0Ah MultiVolt batteries
+ UC18YSL3 charger + saw blade
+ hex bar wrench + dust bag + HSC4

C3606DPAW2Z
Body only + blade + dust bag + hex key + HSC4

C3606DUM

36V Brushless MultiVolt 165mm Rail Saw

- Equipped with innovative Deep Cut Technology for 61 mm cutting depth with guide rail and 66 mm without guide rail.
- Baseplate that is compatible with guide rails from HiKOKI, Festool, Makita, Bosch, Mafell, Milwaukee and Hilti.
- Optimal saw blade visibility from both sides for high-precision cuts.
- Fast stopping brake and kickback protection for high user safety.
- Very compact and lightweight for maximum flexibility.
- Highest power and robustness for high demanding and tough jobs.



Compatible
BRUSHLESS



Specifications

Blade Diameter	165mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	66mm / 43mm
Bevel Capacity	-5° / 45°
Battery voltage	36V
No load speed:	
- High mode:	5600/min
- Medium mode:	4300/min
- Silent mode:	2000/min
Guide rail compatible	YES
Dimensions (LxWxH)	314 x 198 x 263mm
Weight	4,1kg with BSL36A18

C3606DUMW2Z

Body only + saw blade + wrench + rip fence + HSC4

For guide rail accessories - see page 57

ACCESSORIES FOR GUIDE RAILS

Enhance your woodworking with unparalleled precision! Our circular saws - C3606DPA, C3606DUM, C1806DUM, C3607DB* (with adapter) - are expertly designed for seamless compatibility with guide rail accessories, guaranteeing smooth, accurate cuts every time. Upgrade your toolkit today for superior cutting performance!

	Description	Part No
	800 mm Guide rail GR800	4100071
	1600 mm Guide rail GR1600	4100072
	Carrier bag for guide rail GR1600	379259
	Connector for guide rail GR800 and GR1600	4100080
	Splinter protection roll, 1,7 m	4100077
	Sliding coating roll, 1,7 m	4100078
	Anti-slip coating roll, 1,7 m	4100079
	Mitre fence	379264
	Steel screw clamp	711237
	Steel lever clamp	711238

C3607DB

36V Brushless MultiVolt 190mm Circular Saw

- Brushless Motor delivers longer runtimes, less maintenance and better power control
- Easy to handle, reducing physical strain and fatigue
- Robust Aluminium Die-Cast Base
- Efficient Dust Blower & Gentle Soft Start
- Large Comfortable Sub-Handle



Compatible
BRUSHLESS



For guide rail accessories - see page 57

Specifications	
Blade Diameter	190mm
Bore Ø	20mm
Max. Cut Depth 90°/45°	64.5mm / 49mm
Battery voltage	36V
No load speed:	6000/min
	High Torque Mode: 4500/min
Soft Start / Soft Brake	YES
Guide rail compatible	YES
Dimensions (LxWxH)	313 x 221 x 280mm
Weight	4.3kg with BSL36A18

C3607DBW2Z

Body only + blade + guide rail adapter + wrench + HSC4

C3609DUM

36V Brushless MultiVolt 235mm Circular Saw

NEW

- Torque boost for maximum performance triggered by power-intensive cutting
- Compatible with guide rails from Hikoki, Metabo, Mafell, Bosch, Festool, Makita, Hilti and other brands
- Brushless motor for high power, less wear and a long service life
- Integrated LED light for a clear view of the marking and work surface
- High level of user safety thanks to run-out brake for quick saw blade stop
- Equipped with riving knife for optimum user protection: prevents the saw blade from jamming



Compatible
TORQUE BOOST
BRUSHLESS



For guide rail accessories - see page 57

Specifications	
Blade Diameter	235mm
Bore Ø	30mm
Max. Cut Depth	86mm
Battery voltage	36V
Kick back Protection	YES
Soft Start	YES
Brake	YES
Riving Knife	YES
Dimensions	432 X 275 X 299 mm
Weight	5.6kg

C3609DUMW2Z

Body only + 235mm blade

CORDLESS METAL CUTTING SAW

CD3605DB

36V Brushless MultiVolt 150mm Metal Cutting Saw

- The most powerful and fastest cutting metal cutting saw on the market in its class
- Outstanding 58 mm cutting depth for a high variety of materials, such as sandwich panels, grillages, installation rails, pipes and more
- Straight and precise cuts with clean edges that do not require reworking
- Spark-free cold-cut of the saw does not allow the workpiece to heat up for high user protection and the ability of cutting laminated workpieces like sandwich panels



ME Compatible
BRUSHLESS



Specifications

Blade Diameter	150mm
Bore Ø	20mm
Max. Cut Depth	47mm
Battery voltage	36V
No load speed:	0 - 7000/min
Soft Start	YES
Brake	YES
Silent Mode	YES
Dimensions	227 X 236 X 176 mm
Weight	2.8kg

CD3605DBW2Z

Body only + 150mm blade for steel + wrench + HSC4