

YARD BOSS® ATTACHMENTS



RL-MM LAWN AERATOR

Rotating tines are designed to promote water absorption and root health.



BK-MM BOHO TINES CULTIVATOR

Cultivate deeper into the soil to prepare for planting.



KB-MM BRISTLE BRUSH

Make quick work of sweeping jobs on walkways and other paved surfaces.

Note: This attachment must be used with large deflector and extensions. Do not use on grass lawns.



FS-MM TRIMMER


Trim around the yard and tackle heavy weeds and tough growth.

Note: The FS-MM must be used with MM Wheel Kit.



FC-MM BED EDGER

Cut defined edges and separate the grass from the planting area.



MF-MM LAWN DETHATCHER

Remove dead grass and other material from the top of the lawn.

Note: This attachment must be used with large deflector and extensions.



KW-MM STIHL POWERSWEEP™

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf and water, and light snow from hard, flat surfaces.

Note: This attachment must be used with large deflector and extensions.



BF-MM PICK TINES CULTIVATOR

Break up weeds and hardened soil in the garden.

OPTIONAL ACCESSORIES



MM WEIGHT KIT

Provides additional weight for optimized attachment performance.



MM DEPTH GAUGE


Allows for variable working depths when using cultivator attachments.



MM WHEEL KIT

Delivers improved handling, transport, and maneuverability with most attachments.

HEDGE TRIMMER FEATURES & BENEFITS



FUNCTIONAL DESIGN

The engine housing has smooth surfaces and round contours that help to keep it from getting caught on branches during use. The design also makes cleaning easy.

MULTIPLE OPTIONS

STIHL hedge trimmers are built for homeowners and professionals in gas, battery, or corded-electric options.

VERTICAL HANGING SLOT

The built-in hanging slot allows for easy storage when not in use.

TECHNOLOGY

Double-Sided Cutting Blades

STIHL hedge trimmers with double-sided cutting blades cut in both directions.

Two-Handed Design

Equipment with this feature is easily started by activating switches on the loop handle and the rear handle at the same time. The cutting speed can be adjusted using the rear trigger control, allowing for a fine and precise cut. The two-handed design is suitable for both left- and right-handed users.

Laser-Cut Diamond-Cut Blades

Each blade is laser cut and ground using diamond discs. The hardened cutting edges are highly resilient and remain sharp for a longer period of time.

COMFORT FEATURES

Tip Protector

The tip protector makes cutting near the ground or along walls easier while protecting the trimmer's cutters from damage.

Rubberized Soft-Touch Handle

Soft rubber texture is both easy to grip and makes the product comfortable to hold for extended periods.

Blade Scabbard

Each hedge trimmer comes with a blade scabbard to help protect the cutting blade during storage and transport.

Ergonomic Loop Handle

The ergonomic loop handle is ideal for making cuts in any direction.

SEASONAL TRIMMING & SMALLER SHRUBS

Our hedge trimmers are lightweight, easy to use, and designed to make quick work of overgrown shrubs and bushes.



HSA 26

AS

With faster speeds than the previous model, the HSA 26 battery-powered garden shears put an unparalleled level of cutting precision in the palm of your hand.



HSA 30

AS

The HSA 30 is an easy-to-use hedge trimmer that gives you the high-quality performance you need to get the job done. Equipped with double-sided, laser-cut, diamond-ground blades, the HSA 30 is designed to help you achieve a more precise cut with less effort as you take on small hedges and shrubs.



HSA 40

AS

Built with a compact, lightweight design, the HSA 40 is the ideal tool for small yards. The laser-cut, diamond-ground, double-sided blades offer optimal maneuverability and clean cuts.

For full specification information for all STIHL hedge trimmers, please refer to page 110.



HS 45

AK

Available with an 18" double-sided reciprocating blade, the HS 45 is powered by a dependable STIHL engine to deliver the power needed to cut through shrubbery with ease.

Not available for purchase or delivery in California.



HS 46 C-E

AK STIHL EASY2START

The HS 46 C-E is the lightest gasoline-powered hedge trimmer in the STIHL line and features STIHL Easy2Start™ technology, which makes starting the trimmer nearly effortless.


Not available for purchase or delivery in California.



HSA 50

AK

The HSA 50 battery hedge trimmer features double-sided, droplet-shaped cutters with diamond-ground blades for exceptional performance at an affordable price.



NUMEROUS HEDGES & EXTENSIVE TRIMMING

Our well-balanced hedge trimmers feature anti-vibration technology, delivering the cutting power needed to leave behind uniform, professionally groomed hedges and shrubs.



HS 56

The HS 56 hedge trimmer is the ideal balance of power and portability for professional users and comes with a blade tip guard that helps to keep blades sharper longer.

Not available for purchase or delivery in California.



HSA 60

AK

The HSA 60 is the most powerful battery-powered hedge trimmer in the AK System. Delivers fast cutting speeds of 3,000 strokes per minute and features a rotating handle.



HS 82

The HS 82 is a win-win for professional landscapers, available in a pruning (R) and trimming (T) version in both 24" and 30" blade length options, offering two ways to tackle trimming tasks.

Not available for purchase or delivery in California.



HS 87

The lightweight and well-balanced HS 87 features a single-sided blade and is available in a pruning (R) and trimming (T) version to tackle overgrown shrubs.

Not available for purchase or delivery in California.

For full specification information for all STIHL hedge trimmers, please refer to page 110.



HSA 100



The HSA 100 features a rotating handle for increased user ergonomics, optimized blade geometry, and diamond-ground blades for clean cuts.

Comparable performance to the HS 56.



HSA 100

“Great battery life, I can do the entire house with less than half of the battery charge!”

★★★★★ - CJKaz

Check out this review and others on the product pages at [STIHLusa.com](https://www.stihlusa.com).



HSA 140



The most powerful double-sided HSA from STIHL with onboard AP battery slot uses the same proven, hardened, dual diamond-ground blade system as gasoline-powered counterparts. Equipped with 24" double-sided blades.

Two versions available:

R—for rejuvenation and cutting of larger branches

T—for trimming leaves and twigs

Comparable performance to the HS 82.



HSA 150



First single-sided HSA from STIHL with onboard AP battery slot. Leaf rakes are assembled onto each unit for ease of cleaning trimmed debris.

Two versions available:

R—in 30" only, for rejuvenation and cutting of larger branches

T—in 30" and 40", for trimming leaves and twigs

Comparable performance to the HS 87.

EXTENDED-REACH HEDGE TRIMMERS

Our battery- and gasoline-powered extended-reach hedge trimmers are available in fixed and articulating blade options. Ideal for extra tall and wide shrubs.

HL 56 K (0°)



The fixed-angle HL 56 K (0°) is ideally suited for homeowners and entry-level landscapers to trim hard-to-reach areas.

Not available for purchase or delivery in California.



NEW! HLA 40

AS

Tackle tall hedges and tight spaces with a telescopic shaft, 8.5 ft. reach, 115° adjustable head, and up to 40 minutes of run time.*



HLA 56

AK

The battery-powered HLA 56 is perfect for tackling occasional trimming and shaping of hard-to-reach hedges and shrubs, while its low-noise operation allows for use in noise-sensitive areas.



*Made in America of U.S. and global materials.


*The battery run time may vary depending on how the tool is used. For full specification information for all STIHL hedge trimmers, please refer to page 110.

HLA 66

AP

The HLA 66, with its 115° articulating head and 20" cutter bar, delivers professional-grade performance with the convenience of battery power.

Comparable performance to the HL 91 K (0°).



HLA 86

AP

With the ability to telescope an additional 27.6", the HLA 86 gives pros the benefits of battery power with the performance and proven construction of our professional gas-powered equipment.

Comparable performance to the HL 94.




HL 91 K (0°)



The compact design of the mid-length HL 91 K (0°) provides excellent maneuverability and the innovative ECOSPEED throttle control offers variable speed regulation.

Not available for purchase or delivery in California.



°Made in America of U.S. and global materials.

HL 94 K (0°)



The HL 94 K (0°) features a fixed-angle blade and the STIHL exclusive ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.

Not available for purchase or delivery in California.



HL 94 K (145°)



Built with professionals in mind, the HL 94 K (145°) has an articulating blade offering a cutting range of 145°, in 13 locking positions, to precisely trim difficult hedges.

Not available for purchase or delivery in California.



HL 94 (145°)



The HL 94 (145°) features 13 cutting head locking positions and ECOSPEED throttle set wheel for variable speed control, making it a must-have for pros.

Not available for purchase or delivery in California.



°Made in America of U.S. and global materials.





HLA 135 K (0°)



When precision matters in hard-to-reach places, pros rely on the control and performance of this professional-grade trimmer's 0° fixed-angle cutting head and short-shaft design.



HLA 135 K (145°)



For a combination of versatility and control, the short-shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head gives users all they need in a durable design.




































HLA 135 (145°)










With an articulating 145° cutting head and an extended-reach shaft, this professional-grade hedge trimmer gives pros the reach and range they need to take on a variety of jobs.

°Made in America of U.S. and global materials. Batteries and chargers sourced internationally. For full specification information for all STIHL hedge trimmers, please refer to page 110.

	Power Source Type	Displacement (cc/cu. in.)	Mechanical Power Output (kW/bhp)	Voltage (V)	Weight (lbs.)*	Fuel Capacity (oz.)
SEASONAL TRIMMING, SMALLER SHRUBS						
HSA 26		–	–	10.8	1.5	–
HSA 30		–	–	10.8	4.5	–
HSA 40		–	–	10.8	4.6	–
HS 45		27.2/1.7	0.75/1.01	–	10.4	7.8
HS 46 C-E		21.4/1.3	0.65/0.87	–	9.5	9.5
HSA 50		–	–	36	6.4	–
NUMEROUS HEDGES AND SHRUBS						
HS 56		21.4/1.3	0.65/0.87	–	9.9	9.5
HSA 60		–	–	36	7.7	–
HS 82 R (24")		22.7/1.4	0.7/0.9	–	11.9	15.6
HS 82 T (24")		22.7/1.4	0.7/0.9	–	11.2	15.6
HS 82 R (30")		22.7/1.4	0.7/0.9	–	12.6	15.6
HS 82 T (30")		22.7/1.4	0.7/0.9	–	11.7	15.6
HSA 100		–	–	36	7.7	–
SIZABLE JOBS, EXTENDED TRIMMING TIMES						
HS 87 R (30")		22.7/1.4	0.7/0.9	–	12.1	15.6
HS 87 T (30")		22.7/1.4	0.7/0.9	–	11.5	15.6
HS 87 T (40")		22.7/1.4	0.7/0.9	–	12.1	15.6
HSA 140 R (24")		–	–	36	9.5	–
HSA 140 T (24")		–	–	36	9.3	–
HSA 150 R (30")		–	–	36	10.1	–
HSA 150 T (30")		–	–	36	9.5	–
HSA 150 T (40")		–	–	36	10.4	–
EXTENDED-REACH HEDGE TRIMMERS						
NEW! HLA 40		–	–	10.8	7.7	–
HL 56 K (0°)		27.2/1.7	0.8/1.1	–	12.6	11.5
HLA 56		–	–	36	8.4	–
HLA 66		–	–	36	8.1	–
HLA 86		–	–	36	10.6	–
HL 91 K (0°)		24.1/1.5	0.9/1.2	–	11.9	18.3
HL 94 K (0°)		24.1/1.5	0.9/1.2	–	12.1	18.3
HL 94 K (145°)		24.1/1.5	0.9/1.2	–	12.8	18.3
HL 94 (145°)		24.1/1.5	0.9/1.2	–	13.7	18.3
HLA 135 K (0°)		–	–	36	10.4	–
HLA 135 K (145°)		–	–	36	11.5	–
HLA 135 (145°)		–	–	36	12.4	–

● Standard – Not Applicable *Dry weight

Note: Specifications are as of Oct. 1, 2025. For most recent updates, visit [STIHLusa.com](https://www.stihlusa.com). Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice.

Blade Length (cm/in.)	Blade Type - Single-Sided/ Double-Sided	Strokes Per Minute	Cutting Head - Articulated/Fixed	STIHL Anti-Vibration System	STIHL Easy2Start™	Rear Swivel Handle	Simplified Starting	Multi-Function Control Handle	Telescoping Pole	Made in America of U.S. and global materials°
Shrub: 20/7.9 Grass: 12/4.7	Double	2,200	Fixed	-	-	-	-	-	-	-
45/18	Double	2,800	Fixed	-	-	-	-	-	-	-
50/20	Double	2,800	Fixed	-	-	-	-	-	-	-
45.7/18	Double	3,700	Fixed	●	-	-	-	-	-	-
55.9/22	Double	3,640	Fixed	●	●	-	●	●	-	-
50.8/20	Double	2,800	Fixed	-	-	-	-	-	-	-
61/24	Double	3,640	Fixed	-	-	-	●	●	-	-
60/24	Double	3,000	Fixed	-	-	-	-	-	-	-
61/24	Double	3,100	Fixed	●	-	●	●	●	-	-
61/24	Double	5,100	Fixed	●	-	●	●	●	-	-
76.2/30	Double	3,100	Fixed	●	-	●	●	●	-	-
76.2/30	Double	5,100	Fixed	●	-	●	●	●	-	-
60/23.6	Double	3,000	Fixed	-	-	-	-	-	-	-
76.2/30	Single	3,100	Fixed	●	-	-	●	●	-	-
76.2/30	Single	5,000	Fixed	●	-	-	●	●	-	-
101.6/40	Single	5,000	Fixed	●	-	-	●	●	-	-
60.9/24	Double	2,600/3,000/3,400	Fixed	-	-	●	-	-	-	-
60.9/24	Double	3,900/4,500/5,000	Fixed	-	-	●	-	-	-	-
76.2/30	Single	2,600/3,000/3,400	Fixed	-	-	●	-	-	-	-
76.2/30	Single	3,900/4,500/5,000	Fixed	-	-	●	-	-	-	-
101.6/40	Single	3,900/4,500/5,000	Fixed	-	-	●	-	-	-	-
45/17.7	Double	2,600	Fixed	-	-	-	-	-	-	-
50.8/20	Double	-	Fixed	-	-	-	●	●	-	
45.7/18	Double	2,800	Articulating	-	-	-	-	-	-	-
50.8/60	Double	3,000	Articulating	-	-	-	-	-	-	-
50.8/60	Double	3,000	Articulating	-	-	-	-	-	●	-
61/24	Double	3,900	Fixed	●	-	-	●	●	-	
61/24	Double	3,900	Fixed	●	-	-	●	●	-	
61/24	Double	3,600	Articulating	●	-	-	●	●	-	
61/24	Double	3,600	Articulating	●	-	-	●	●	-	-
60.9/24	Double	3,200/3,600/4,000	Fixed	-	-	-	-	-	-	
60.9/24	Double	3,200/3,600/4,000	Articulating	-	-	-	-	-	-	
60.9/24	Double	3,200/3,600/4,000	Articulating	-	-	-	-	-	-	

°Made in America of U.S. and global materials. Batteries and chargers sourced internationally.