

SAWS

CORDLESS JIGSAWS

CORDLESS JIGSAW GST 18V-LI B Professional



Technical data		
Part number	0 601 5A6 ...	
Battery voltage	18 V	
Stroke rate at no load	0 – 2,700 spm	
Cutting depth in wood	120 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	8 mm	
Mitre cuts	0-45	
Weight excl. battery	1.8 kg	
Comes complete with	... 100	... 101
Body only	x	x
1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)	x	x
1 x jigsaw blade T 244 D, Speed for Wood (available separately as set of 3: 2 608 630 879)	x	x
1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)	x	x
1/1 L-BOXX inlay for tool and charger (1 600 A00 3NH)	-	x
Cardboard box	x	-
Hood (2 601 016 096)	x	x
L-BOXX 136 (1 600 A01 2G0)	-	x

CORDLESS JIGSAW GST 18V-LI S Professional



Technical data		
Part number	0 601 5A5 ...	
Battery voltage	18 V	
Stroke rate at no load	550 – 2,700 spm	
Cutting depth in wood	120 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	8 mm	
Weight excl. battery	1.8 kg	
Comes complete with	... 100	... 101
Body only	x	x
1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)	x	x
1 x jigsaw blade T 244 D, Speed for Wood (available separately as set of 3: 2 608 630 879)	x	x
1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)	x	x
1/1 L-BOXX inlay for tool and charger (1 600 A00 3NH)	-	x
Cardboard box	x	-
Hood (2 601 016 096)	x	x
L-BOXX 136 (1 600 A01 2G0)	-	x

CORDLESS JIGSAW GST 18V-125 B Professional

NEW!



Technical data		
Part number	0 601 5B3 ...	
Battery voltage	18 V	
Stroke rate at no load	0 – 3,500 spm	
Stroke height	26 mm	
Cutting depth in wood	125 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	10 mm	
Weight excl. battery	1.9 kg	
Comes complete with	... 001	... 000
Body only	x	x
L-BOXX 136 (1 600 A01 2G0)	-	x
1 x jigsaw blade T 144 D, Speed for Wood (available separately as set of 3: 2 608 630 560)	x	x
Splinter guard (2 601 016 065)	x	x
Dust extraction set (1 619 P17 472)	x	x

CORDLESS JIGSAW GST 18V-125 S Professional

NEW!



Technical data		
Part number	0 601 5B2 ...	
Battery voltage	18 V	
Stroke rate	500 – 3,500 spm	
Stroke length	26 mm	
Cutting depth in wood	125 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	10 mm	
Weight excl. battery	1.9 kg	
Comes complete with	... 001	... 000
Body only	x	x
Carton	x	-
L-BOXX 136 (1 600 A01 2G0)	-	x
1/1 L-BOXX inlay for tool and charger (1 600 A02 HB7)	-	x
1 x jigsaw blade T 144 D, Speed for Wood (available separately as set of 3: 2 608 630 560)	x	x
Dust extraction set (1 619 P17 472)	x	x
Anti-splinter guard (2 601 016 096)	x	x

SAWS

CORDLESS JIGSAWS, JIGSAWS

CORDLESS JIGSAW GST 18V-155 BC Professional

NEW!



Technical data		
Part number	0 601 5B1 ...	
Battery voltage	18 V	
Stroke rate at no load	0 – 3,800 spm	
Stroke height	26 mm	
Cutting depth in wood	155 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	10 mm	
Weight excl. battery	2 kg	
Comes complete with	... 001	... 000
Body only	x	x
Carton	x	–
L-BOXX 136 (1 600 A01 2G0)	–	x
1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)	x	x
1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)	x	x
Dust extraction nozzle (1 617 S01 MS6)	x	x
Dust extraction hood (1 617 S01 MS8)	x	x
Anti-splinter guard (1 617 S01 MS7)	x	x

CORDLESS JIGSAW GST 18V-155 SC Professional

NEW!



Technical data		
Part number	0 601 5B0 ...	
Battery voltage	18 V	
Stroke rate at no load	800 – 3,800 spm	
Stroke height	26 mm	
Cutting depth in wood	155 mm	
Cutting depth in aluminium	20 mm	
Cutting depth in unalloyed steel	10 mm	
Weight excl. battery	2 kg	
Comes complete with	... 001	... 000
Body only	x	x
Carton	x	–
L-BOXX 136 (1 600 A01 2G0)	–	x
1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)	x	x
1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)	x	x
Dust extraction nozzle (1 617 S01 MS6)	x	x
Dust extraction hood (1 617 S01 MS8)	x	x
Anti-splinter guard (1 617 S01 MS7)	x	x