

SAWS

CORDLESS CIRCULAR SAWS

CORDLESS CIRCULAR SAW GKS 12V-26 Professional



Technical data			
Part number	0 601 6A1 ...		
Battery voltage	12 V		
No-load speed	1,400 rpm		
Max. cutting capacity in wood (90°)	26.5 mm		
Max. cutting capacity in wood (45°)	17 mm		
Saw blade diameter	85 mm		
Saw blade bore diameter	15 mm		
Comes complete with	... 001	... 002	... 070
1 x circular saw blade, Standard for Wood, 85 x 15 x 1.1 mm, 20 (2 608 643 071)	x	x	x
1/2 L-BOXX inlay for charger (1 600 A00 2WY)	-	x	x
1/2 L-BOXX inlay for tool (1 600 A00 2WU)	-	x	x
2 x battery GBA 12V 2.0Ah (1 600 Z00 02X)	-	-	x
Cardboard box	x	-	-
Dust extraction adapter	x	x	x
Hex key	x	x	x
L-BOXX 136 (1 600 A01 2G0)	-	x	x
Parallel guide/guide rail adapter (1 619 P10 829)	x	x	x
Quick charger GAL 12V-40 Professional (1 600 A01 9R4)	-	-	x

CORDLESS CIRCULAR SAW GKS 18 V-LI Professional



Technical data	
Part number	0 601 66H ...
Battery voltage	18 V
No-load speed	3,900 rpm
Max. cutting capacity in wood (90°)	51 mm
Max. cutting capacity in wood (45°)	40 mm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Comes complete with	... 006
Body only	x
1/1 L-BOXX inlay for tool and charger (1 600 A00 2UY)	x
L-BOXX 238 (1 600 A01 2G2)	x

CORDLESS CIRCULAR SAW GKS 18 V-LI Professional



Technical data	
Part number	0 601 66H ...
Battery voltage	18 V
No-load speed	3,900 rpm
Max. cutting capacity in wood (90°)	51 mm
Max. cutting capacity in wood (45°)	40 mm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Comes complete with	... 076
2 x 5.0 Ah Li-Ion batteries	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x
L-BOXX 238 (1 600 A00 1RS)	x
1/1 L-BOXX inlay for tool and charger (1 600 A00 2UY)	x
TC saw blade, 165 mm diameter (2 608 640 788)	x
Parallel guide	x

CORDLESS CIRCULAR SAW GKS 18V-57 Professional



Technical data	
Part number	0 601 6A2 ...
Battery voltage	18 V
No-load speed	3,400 rpm
Max. cutting capacity in wood (90°)	57 mm
Max. cutting capacity in wood (45°)	39 mm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Comes complete with	... 200
Cardboard box	x
Dust extraction adapter	x
Internal hexagon	x
Parallel guide	x
Saw blade	x

SAWS

CORDLESS CIRCULAR SAWS

CORDLESS CIRCULAR SAW GKS 18V-57 G Professional



Technical data	
Part number	0 601 6A2 ...
Battery voltage	18 V
No-load speed	3,400 rpm
Max. cutting capacity in wood (90°)	57 mm
Max. cutting capacity in wood (45°)	42 mm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Comes complete with ... 101	
Body only	x
1 x circular saw blade, Standard for Wood, 165 x 1.7/1.2 x 20 mm, 36 (2 608 642 602)	x
Dust extraction adapter	x
Internal hexagon	x
L-BOXX 238 (1 600 A01 2G2)	x
L-BOXX inlay	x
Parallel guide	x

CORDLESS CIRCULAR SAW GKS 18V-57 G Professional



Technical data	
Part number	06016A2 ...
Battery voltage	18 V
No-load speed	3,400 rpm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Comes complete with ... 175	
2 x 4.0Ah batteries	x
Quick charger GAL 18V-40 (1 600 A01 9RK)	x

7

CORDLESS CIRCULAR SAW GKS 18V-57-2 Professional

NEW!



Technical data		
Part number	0 601 6C1 ...	
Battery voltage	18 V	
No-load speed	5,000 rpm	
Max. cutting capacity in wood (90°)	57 mm	
Max. cutting capacity in wood (45°)	41 mm	
Saw blade diameter	165 mm	
Saw blade bore diameter	20 mm	
Weight excl. battery	2.9 kg	
Comes complete with ... 200 ... 201		
Body only	x	x
L-BOXX 238 (1 600 A01 2G2)	-	x
1/1 L-BOXX inlay for tool (1 600 A02 F4V)	-	x
1 x circular saw blade, Standard for Wood, 165 x 1.5/1.0 x 20 mm, 24 (2 608 837 685)	x	x
Parallel guide (2 608 000 817)	x	x

CORDLESS CIRCULAR SAW GKS 18V-57-2 L Professional

NEW!



Technical data		
Part number	0 601 6C1 ...	
Battery voltage	18 V	
No-load speed	5,000 rpm	
Max. cutting capacity in wood (90°)	57 mm	
Max. cutting capacity in wood (45°)	41 mm	
Saw blade diameter	165 mm	
Saw blade bore diameter	20 mm	
Weight excl. battery	2.9 kg	
Comes complete with ... 100 ... 101		
Body only	x	x
Carton	x	-
L-BOXX 238 (1 600 A01 2G2)	-	x
1/1 L-BOXX inlay for tool (1 600 A02 F4V)	-	x
Parallel guide (2 608 000 822)	x	x
1 x circular saw blade, Standard for Wood, 165 x 1.5/1.0 x 20 mm, 24 (2 608 842 861)	x	-

SAWS

CORDLESS CIRCULAR SAWS

CORDLESS CIRCULAR SAW GKS 18V-68 C Professional



PROFESSIONAL 18V SYSTEM

ERGONOMIC

BITURBO BRUSHLESS



BRUSHLESS MOTOR

Technical data	
Part number	0 601 6B5 ...
Battery voltage	18 V
No-load speed	5,000 rpm
Max. cutting capacity in wood (90°)	70 mm
Max. cutting capacity in wood (45°)	49.5 mm
Saw blade diameter	190 mm
Saw blade bore diameter	30 mm
Max. cutting capacity in metal (90°)	0 mm
Weight excl. battery	4 kg
Comes complete with ... 001	
Body only	x
1 x circular saw blade, Standard for Wood, 190 x 30 x 1.6 mm (2 608 837 708)	x
1/1 L-BOXX inlay for tool (1 600 A01 S9X)	x
L-BOXX 238 (1 600 A01 2G2)	x
Parallel guide (1 608 190 007)	x

CORDLESS CIRCULAR SAW GKS 18V-68 C Professional



PROFESSIONAL 18V SYSTEM

ERGONOMIC

BITURBO BRUSHLESS



BRUSHLESS MOTOR

Technical data	
Part number	0 601 6A2 ...
Battery voltage	18 V
No-load speed	5,000 rpm
Max. cutting capacity in wood (90°)	70 mm
Max. cutting capacity in wood (45°)	49.5 mm
Saw blade diameter	190 mm
Saw blade bore diameter	30 mm
Max. cutting capacity in metal (90°)	0 mm
Weight excl. battery	4 kg
Comes complete with ... 000	
Body only	x
1 x circular saw blade, Standard for Wood, 190 x 30 x 1.6 mm (2 608 837 708)	x
Cardboard box	x
Parallel guide (1 608 190 007)	x

CORDLESS CIRCULAR SAW GKS 18V-68 C Professional



PROFESSIONAL 18V SYSTEM

ERGONOMIC

BITURBO BRUSHLESS



BRUSHLESS MOTOR

Technical data	
Part number	0 601 6B5 ...
Battery voltage	18 V
No-load speed	5,000 rpm
Max. cutting capacity in wood (90°)	70 mm
Max. cutting capacity in wood (45°)	49.5 mm
Saw blade diameter	190 mm
Saw blade bore diameter	30 mm
Max. cutting capacity in metal (90°)	0 mm
Weight excl. battery	4 kg
Comes complete with ... 070	
1 x battery ProCORE18V 5.5Ah (1 600 A02 149)	x
1 x circular saw blade, Standard for Wood, 190 x 30 x 1.6 mm (2 608 837 708)	x
1/1 L-BOXX inlay for tool (1 600 A01 S9X)	x
L-BOXX 238 (1 600 A01 2G2)	x
Parallel guide (1 608 190 007)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x

CORDLESS CIRCULAR SAW GKS 18V-68 GC Professional



PROFESSIONAL 18V SYSTEM

SESA INTERFACE

BITURBO BRUSHLESS



BRUSHLESS MOTOR

Technical data	
Part number	0 601 6B5 ...
Battery voltage	18 V
No-load speed	2,500 – 5,000 rpm
Max. cutting capacity in wood (90°)	68 mm
Max. cutting capacity in wood (45°)	50 mm
Weight excl. battery	4.3 kg
Comes complete with ... 100	
Body only	x
1 x circular saw blade, Expert for Wood, 190 x 30 x 1.5 mm (2 608 644 513)	x
1/1 L-BOXX inlay for tool (1 600 A01 S9X)	x
L-BOXX 238 (1 600 A01 2G2)	x
Parallel guide (1 608 190 007)	x

SAWS

CORDLESS CIRCULAR SAWS, CIRCULAR SAWS

CORDLESS CIRCULAR SAW GKS 18V-68 GC Professional



PROFESSIONAL 18V SYSTEM

BITURBO BRUSHLESS MOTOR

TECHNICAL DATA

Part number	0 601 6B5 ...
Battery voltage	18 V
No-load speed	2,500 – 5,000 rpm
Max. cutting capacity in wood (90°)	68 mm
Max. cutting capacity in wood (45°)	50 mm
Weight excl. battery	4.3 kg
Comes complete with	... 171
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
1 x circular saw blade, Expert for Wood, 190 x 30 x 1.5 mm (2 608 644 513)	x
1/1 L-BOXX inlay for tool (1 600 A01 S9X)	x
2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)	x
L-BOXX 238 (1 600 A01 2G2)	x
Parallel guide (1 608 190 007)	x
Quick charger GAL 18V-160 C Professional incl. Bluetooth Low Energy module (1 600 A01 9S8)	x

BRUSHLESS MOTOR

CORDLESS CIRCULAR SAW GKS 18V-68 GC Professional



PROFESSIONAL 18V SYSTEM

BITURBO BRUSHLESS MOTOR

TECHNICAL DATA

Part number	0 601 6B5 ...
Battery voltage	18 V
No-load speed	2,500 – 5,000 rpm
Max. cutting capacity in wood (90°)	68 mm
Max. cutting capacity in wood (45°)	50 mm
Weight excl. battery	4.3 kg
Comes complete with	... 170
1 x circular saw blade, Expert for Wood, 190 x 30 x 1.5 mm (2 608 644 513)	x
1/1 L-BOXX inlay for tool (1 600 A01 S9X)	x
2 x battery ProCORE18V 5.5Ah (1 600 A02 149)	x
L-BOXX 238 (1 600 A01 2G2)	x
Parallel guide (1 608 190 007)	x
Quick charger GAL 1880 CV (1 600 A00 B8H)	x

BRUSHLESS MOTOR

CORDLESS CIRCULAR SAW GKS 18V-70 L Professional



PROFESSIONAL 18V SYSTEM

BITURBO BRUSHLESS MOTOR

TECHNICAL DATA

Part number	0 601 6B9 ...
Battery voltage	18 V
No-load speed	5,000 rpm
Max. cutting capacity in wood (90°)	70 mm
Max. cutting capacity in wood (45°)	49 mm
Saw blade diameter	190 mm
Saw blade bore diameter	30 mm
Weight excl. battery	4.1 kg
Comes complete with	... 000
Body only	x
Cardboard box	x
L-BOXX 238 (1 600 A01 2G2)	x
1/1 L-BOXX inlay for tool (1 600 A02 6VZ)	x
1 x circular saw blade, Standard for Wood, 190 x 30 x 1.6 mm (2 608 837 708)	x
Parallel guide (2 608 000 751)	x

BRUSHLESS MOTOR

METAL SAW GKM 18V-50 Professional



PROFESSIONAL 18V SYSTEM

BITURBO BRUSHLESS MOTOR

TECHNICAL DATA

Part number	0 601 6B8 ...
Battery voltage	18 V
No-load speed	4,250 rpm
Saw blade diameter	136 mm
Saw blade bore diameter	20 mm
Weight excl. battery	2.2 kg
Comes complete with	... 000
Body only	x
Cardboard box	x
L-BOXX 238 (1 600 A01 2G2)	x
1 x circular saw blade, Standard for Steel, 136 x 1.6/1.2 x 20 mm, 30 (2 608 837 746)	x
Parallel guide (2 610 347 119)	x

BRUSHLESS MOTOR

CIRCULAR SAWS, PLUNGE SAW

CORDLESS CIRCULAR SAW GKS 190 Professional



1400
W



Technical data	
Part number	0 601 623 ...
Rated input power	1,400 W
No-load speed	5,500 rpm
Max. cutting capacity in wood (90°)	70 mm
Max. cutting capacity in wood (45°)	50 mm
Saw blade diameter	190 mm
Saw blade bore diameter	30 mm
Weight	4.2 kg
Comes complete with ... 070	
Body only	x
1 x circular saw blade, Optiline Wood, 190 x 30 x 2.0 mm, 16 (2 608 641 184)	x
Hex key WAF 5 (spare part number 1 907 950 006)	x
Parallel guide (1 608 190 007)	x
Voltage 240 V	x

CORDLESS PLUNGE SAW GKT 18V-52 GC Professional



2.800-
5.500
min*/rpm



Technical data	
Part number	0 601 6B4 ...
Battery voltage	18 V
No-load speed, from	2,800 rpm
Weight excl. battery	4.1 kg
Saw blade bore diameter	20 mm
Saw blade diameter	140 mm
Baseplate	305 x 169 mm
Tool dimensions (width x length x height)	209 x 374 x 234 mm
No-load speed	2,800 – 5,500 rpm
Comes complete with ... 000	
Body only	x
1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 3WF)	x
1 x circular saw blade, Expert for Wood for cordless saws, 140 x 1.8/1.3 x 20 mm, 42 (2 608 644 500)	x
Dust bag (2 608 000 696)	x
Hex key	x
L-BOXX 238 (1 600 A01 2G2)	x