

IMPACT DRILL

GSB 162-2 RE Professional



Technical data

Part number	0 601 18B ...
Rated input power	1,500 W
No-load speed, 1st gear	0 – 750 rpm
Rated speed	555 / 1,300 rpm
Drilling diameter in wood	50 / 32 mm
Drilling diameter in steel	20 / 14 mm
Rated torque	17.0 / 5.0 Nm
Weight	4.8 kg

Comes complete with	... 060	... 070
Auxiliary handle (2 608 025 205)	x	x
Carrying case	x	x
Depth stop (spare part number 2 600 460 045)	x	x
Keyed chuck 16 mm (1 608 571 057)	x	x
Voltage 110 V	x	–
Voltage 240 V	–	x

IMPACT DRILL

GSB 21-2 RE Professional



Technical data

Part number	0 601 19C ...
Rated input power	1,100 W
No-load speed, 1st gear	0 – 900 rpm
Rated speed	580 / 1,900 rpm
Drilling diameter in wood	40 / 25 mm
Drilling diameter in steel	16 / 8 mm
Rated torque	9.6 / 3.2 Nm
Weight	2.85 kg

Comes complete with	... 560	... 570
Auxiliary handle (2 602 025 193)	x	x
Carrying case (2 605 438 524)	x	x
Depth stop 210 mm (1 613 001 010)	x	x
Keyless chuck 13 mm (2 608 572 150)	x	x
Voltage 110 V	x	-
Voltage 240 V	-	x

IMPACT DRILL

GSB 16 RE Professional



Technical data

Part number	0 601 14E ...
Rated input power	750 W
No-load speed, 1st gear	0 – 2,800 rpm
Drilling diameter in wood	30 mm
Drilling diameter in steel	13 mm
Rated torque	2.3 Nm
Weight	2.2 kg

Comes complete with

	... 560	... 570
Auxiliary handle (2 605 025 190)	x	x
Carrying case (2 605 438 524)	x	x
Depth stop 210 mm (1 613 001 010)	x	x
Keyless chuck 13 mm (2 608 572 149)	x	x
Voltage 110 V	x	–
Voltage 240 V	–	x

IMPACT DRILL

GSB 13 RE Professional



Technical data

Part number	0 601 217 ...
Rated input power	600 W
No-load speed, 1st gear	0 – 2,800 rpm
Drilling diameter in wood	25 mm
Drilling diameter in steel	10 mm
Rated torque	1.8 Nm
Weight	1.8 kg

Comes complete with	... 160	... 170
Depth stop 210 mm (2 603 001 019)	x	x
Keyless chuck 13 mm (2 608 572 149)	x	x
Voltage 110 V	x	–
Voltage 240 V	–	x