



MMA WELDING



EVO 170

Input Voltage : 240V
Input Current : 23A
Welding Range : 20-160A
Duty Cycle : 60%
Weight : 8.8kg
Dimension : 155x375x240mm



EVO 195

Input Voltage : 220V
Input Current : 35A
Welding Range : 10-180A
Duty Cycle : 60%
Weight : 5kg
Dimension : 290x120x198mm



IG 200SP

Input Voltage : 220/240V
Input Current : 32A
Welding Range : 40-200A
Duty Cycle : 60%
Weight : 8kg
Dimension : 165x405x335mm



IG 301i

Input Voltage : 220/240V
Input Current : 42A
Welding Range : 40-300A
Duty Cycle : 60%
Weight : 8kg
Dimension : 165x405x335mm



IG 402

Input Voltage : 380/415V
Input Current : 38A
Welding Range : 40-400A
Duty Cycle : 60%
Weight : 34kg
Dimension : 600x325x510mm



IG 500

Input Voltage : 380/415V
Input Current : 31A
Welding Range : 400-500A
Duty Cycle : 60%
Weight : 24.5kg
Dimension : 290x540x500mm



AC 200A

Input Voltage : 415V
Input Current : 30A
Welding Range : 55-200A
Duty Cycle : 40%
Weight : 73kg
Dimension : 490x300x600mm



AC 300A

Input Voltage : 415V
Input Current : 60A
Welding Range : 55-300A
Duty Cycle : 40%
Weight : 95kg
Dimension : 425x340x540mm



AC 400A

Input Voltage : 415V
Input Current : 76A
Welding Range : 80-400A
Duty Cycle : 40%
Weight : 140kg
Dimension : 430x700x580mm



AC 500A

Input Voltage : 415V
Input Current : 100A
Welding Range : 85-400A
Duty Cycle : 60%
Weight : 185kg
Dimension : 451x627x892mm



ACDC 300A

Input Voltage : 415V
Input Current : 100A
Welding Range : (AC) 55-300A
(DC) 40-250A
Duty Cycle : 40%
Weight : 135kg
Dimension : 427x732x739mm



TS 600

Input Voltage : 415V
Input Current : 65A
Welding Range : 50-600A
Duty Cycle : 60%
Weight : 180kg
Dimension : 585x900x735mm